

Prof. MUSTAFA ÇETİN

Personal Information

Fax Phone: [+90 464 212 3009](tel:+904642123009)

Email: mustafa.cetin@erdogan.edu.tr

Other Email: DR.MUSTAFACETIN@HOTMAIL.COM

Web: <https://avesis.erdogan.edu.tr/mustafa.cetin>

Education Information

Expertise In Medicine, Dr. Siyami Ersek G.K.D.C. Merkezi , Dr. Siyami Ersek G.K.D.C. Merkezi Kardiyoloji, Kardiyoloji, Turkey 2003 - 2008

Undergraduate, Istanbul University, İstanbul Tıp Fakültesi, Turkey 1997 - 2003

Foreign Languages

English, B1 Intermediate

Certificates, Courses and Trainings

Health&Medicine, Perkütan mitral kapak tamiri, Abbott, 2014

Dissertations

Expertise In Medicine, Mitral valv prolapsusu ve anjiyotensin dönüştürücü enzim gen polimorfizmi (1/d) ilişkisi., Dr. Siyami Ersek G.K.D.C Merkezi, Dr. Siyami Ersek G.K.D.C Merkezi Kardiyoloji Bölümü, Kardiyoloji, 2008

Research Areas

Medicine, Health Sciences, Internal Medicine Sciences, Cardiovascular

Academic Titles / Tasks

Professor, Recep Tayyip Erdogan University, Tıp Fakültesi, Dahili Tıp Bilimleri Bölümü, 2019 - Continues

Associate Professor, Recep Tayyip Erdogan University, Tıp Fakültesi, Dahili Tıp Bilimleri Bölümü, 2014 - 2019

Courses

NORMAL EKG, Undergraduate, 2020 - 2021

Advising Theses

ÇETİN M., Gastroözofagial reflü hastalığının özofajit veya gastrit ile olan birlikteliğinin supraventrikuler ve ventrikuler prematür kontraksiyon ile ilişkisi, Expertise In Medicine, O.Bodur(Student), 2019

Jury Memberships

PhD Thesis Monitoring Committee Member, PhD Thesis Monitoring Committee Member, Recep Tayyip Erdoğan Üniversitesi, January, 2019

PhD Thesis Monitoring Committee Member, PhD Thesis Monitoring Committee Member, Recep Tayyip Erdoğan Üniversitesi, January, 2018

Articles Published in Journals That Entered SCI, SSCI and AHCI Indexes

- I. **FEV1 is independently related with impaired left atrial strain in chronic obstructive pulmonary disease patients: A speckle tracking study**
Kalaycioglu E., ÇETİN M., Kiris T., Ozyildiz A. G. , Turan T., YILMAZ A. S.
CLINICAL RESPIRATORY JOURNAL, vol.15, no.12, pp.1359-1367, 2021 (Journal Indexed in SCI)
- II. **Impaired left atrial mechanical functions as indicators for increased aortic root diameter in hypertensive and diabetic patients.**
Kalaycioglu E., Çetin M., Özyıldız A., Kırış T.
Herz, vol.46, pp.272-279, 2021 (Journal Indexed in SCI)
- III. **Left atrial volume index and pulmonary arterial pressure predicted MACE among patients with STEMI during 8-year follow-up: experience from a tertiary center**
Cetin M., Ozer S., Cinier G., Yilmaz A. S. , Erdogan T., Satiroglu Ö.
HERZ, vol.46, no.4, pp.367-374, 2021 (Journal Indexed in SCI)
- IV. **COVID 19 disease independently predicted endothelial dysfunction measured by flow-mediated dilatation**
ERGÜL E., YILMAZ A. S. , Ogutveren M. M. , EMLEK N., KOSTAKOĞLU U., ÇETİN M.
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, 2021 (Journal Indexed in SCI)
- V. **Paradoxical association between lipoprotein cholesterol levels and left atrial function in hypertensive diabetic patients: A speckle tracking study**
Kalaycioglu E., ÇETİN M., Kiris T., Ozyildiz A. G.
JOURNAL OF CLINICAL ULTRASOUND, 2021 (Journal Indexed in SCI)
- VI. **Is Adiponectin Elevation Associated with Left Atrial Remodeling and Impaired Mechanical Functions? (a Speckle Tracking Study).**
Kalaycioglu E., Çetin M., Özyıldız A. G. , Kırış T., Turan T.
Kardiologiia, vol.61, pp.65-70, 2021 (Journal Indexed in SCI)
- VII. **Prognostic nutritional index is related to myocardial performance index in newly diagnosed nondiabetic hypertensive patients.**
YILMAZ A. S. , ERGÜL E., Cirakoglu O. F. , EMLEK N., ÇETİN M.
Clinical and experimental hypertension (New York, N.Y. : 1993), vol.43, no.4, pp.378-383, 2021 (Journal Indexed in SCI Expanded)
- VIII. **Assessment of cardio-ankle vascular index in patients with abdominal aortic aneurysm: An observational study**
Aykan A. C. , ÇETİN M., Kalaycioglu E., Mentese U.
VASCULAR, vol.29, no.2, pp.190-195, 2021 (Journal Indexed in SCI)
- IX. **Epicardial adipose tissue predicted prolonged QTc interval in patients with arterial hypertension.**
Yılmaz A., Çinier G., Çirakoğlu Ö., Çetin M.
Clinical and experimental hypertension (New York, N.Y. : 1993), vol.43, pp.230-236, 2021 (Journal Indexed in SCI)
- X. **Epicardial Adipose Tissue is Associated with Increased Systolic Pulmonary Artery Pressure in**

Patients with Chronic Obstructive Pulmonary.

Kalaycıoğlu E., Çetin M., Çinier G., Özyıldız A., Durmuş İ., Kırış T., Gökdeniz T.

The clinical respiratory journal, vol.15, pp.406-412, 2021 (Journal Indexed in SCI)

- XI. **Exercise-Based Cardiac Rehabilitation Has a Strong Relationship with Mean Platelet Volume Reduction.**
Durmuş I., Kalaycıoğlu E., ÇETİN M., Sahin H. B. , Kiris T.
Arquivos brasileiros de cardiologia, vol.116, no.3, pp.434-440, 2021 (Journal Indexed in SCI Expanded)
- XII. **BLOOD UREA NITROGEN IS ASSOCIATED WITH LONG-TERM ALL-CAUSE MORTALITY IN STABLE ANGINA PECTORIS PATIENTS: 8-YEAR FOLLOW-UP RESULTS**
ÇETİN M., ERDOĞAN T., Ozyildiz A. G. , Ozer S., Ayhan A. C. , Kiris T.
KARDIOLOGIYA, vol.61, no.3, pp.66-70, 2021 (Journal Indexed in SCI)
- XIII. **Mitral annular calcification predicted major cardiovascular events in patients presented with acute coronary syndrome and underwent percutaneous coronary intervention**
Cetin M., DUMAN H., OZER S., KIRIS T., ÇİNİER G., Usta E., SATILMIS S., ERDOGAN T.
ACTA CARDIOLOGICA, vol.75, no.8, pp.767-773, 2020 (Journal Indexed in SCI)
- XIV. **Predictive value of fibrinogen-to-albumin ratio in acute coronary syndrome Prädiktiver Wert des Fibrinogen-Albumin-Quotienten beim akuten Koronarsyndrom**
ÇETİN M., ERDOGAN T., Kırış T., OZER S., YILMAZ A., DURAK H., Aykan A., SATIROGLU Ö.
Herz, vol.45, pp.145-151, 2020 (Journal Indexed in SCI)
- XV. **An echocardiographic predictor of contrast-induced nephropathy following percutaneous coronary intervention in acute coronary syndrome: aortic valve sclerosis**
Durak H., ERDOGAN T., CETIN M., KOCAMAN S. A. , DURAKOGLUGIL M. E. , DUMAN H., ERGUL E., SATIROGLU O.
SCANDINAVIAN CARDIOVASCULAR JOURNAL, vol.54, no.4, pp.227-231, 2020 (Journal Indexed in SCI)
- XVI. **Increased epicardial fat tissue thickness predicts advanced interatrial block among hypertensive patients.**
ÇİNİER G., Yilmaz A. S. , TEKKESIN A., Çetin M.
Journal of electrocardiology, vol.61, pp.18-22, 2020 (Journal Indexed in SCI)
- XVII. **Serum osteoprotegerin level is independently related to subclinical left atrial mechanical function in patients with hypertension and diabetes**
Kalaycıoğlu E., Cetin M., Cinier G., Kiris T., Gokdeniz T., Ozyildiz A. G. , Durmuş I.
HERZ, 2020 (Journal Indexed in SCI)
- XVIII. **Endothelial dysfunction predicted increased left atrial volume index in newly diagnosed nondiabetic hypertensive patients.**
Çetin M., Erdoğan T., Kırış T., AYKAN A., ÇİNİER G., Emlek N., Durak H., KALAYCIOĞLU E., Yilmaz A. S.
Blood pressure monitoring, vol.25, pp.75-81, 2020 (Journal Indexed in SCI)
- XIX. **The role of serum interleukin-37 levels, inflammation and blood pressure in patients with preeclampsia**
Satiroglu O., Gürlek B., Durakoglugil M. E. , Duman H., Erdogan T., Çetin M., Ergül M., Yilmaz A., Uydu H. A.
CLINICAL AND EXPERIMENTAL HYPERTENSION, vol.42, no.7, pp.669-674, 2020 (Journal Indexed in SCI)
- XX. **Endothelial dysfunction, subclinical atherosclerosis and LDL cholesterol are the independent predictors of left atrial functions in hypertension**
Cetin M., ERDOGAN T., KIRIS T., OZYILDIZ A. G. , ERGUL E., DURAKOGLUGIL E., Durak H., KALAYCIOĞLU E., CICEK Y.
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, vol.36, no.1, pp.69-77, 2020 (Journal Indexed in SCI)
- XXI. **Left ventricular hypertrophy is associated with increased sirtuin level in newly diagnosed hypertensive patients**
DUMAN H., BAHÇECİ İ., ÇİNİER G., DUMAN H., BAKIRCI E. M. , ÇETİN M.
CLINICAL AND EXPERIMENTAL HYPERTENSION, vol.41, no.6, pp.511-515, 2019 (Journal Indexed in SCI)
- XXII. **Elevated serum YKL40 level is a predictor of MACE during the long-term follow up in hypertensive patients**
ÇETİN M., ERDOGAN T., KIRIS T., OZER S., CINIER G., EMLEK N., DURAK H., Satiroglu O.
CLINICAL AND EXPERIMENTAL HYPERTENSION, vol.42, no.3, pp.271-274, 2019 (Journal Indexed in SCI)

- XXIII. **Epicardial Adipose Tissue Predicts Carotid Intima-Media Thickness Independently of Body Mass Index and Waist Circumference**
Erdoğan T, Durakoglugil M. E. , Çetin M., KOCAMAN S. A. , DUMAN H., CICEK Y., SATIROGLU O.
ACTA CARDIOLOGICA SINICA, vol.35, no.1, pp.32-41, 2019 (Journal Indexed in SCI)
- XXIV. **The relationship between total atrial conduction time and left atrial global strain in patients with psoriasis vulgaris**
DUMAN H., DILEK N., DEMIRELLI S., İNCİ S., DUMAN H., Çetin M., Durakoglugil M. E.
ARCHIVES OF MEDICAL SCIENCE, vol.15, no.4, pp.865-871, 2019 (Journal Indexed in SCI)
- XXV. **The effect of bilirubin on long-term mortality in patients with chronic total coronary occlusion**
CETIN M., Durakoglugil M. E. , ERDOGAN T., OZER S., TURAN O. E. , YILMAZ A. S. , AKDOGAN E.
BRATISLAVA MEDICAL JOURNAL-BRATISLAVSKE LEKARSKE LISTY, vol.120, no.11, pp.860-863, 2019 (Journal Indexed in SCI)
- XXVI. **Assessment of the association between the presence of fragmented QRS and the predicted risk score of sudden cardiac death at 5 years in patients with hypertrophic cardiomyopathy**
Ozyilmaz S., AKGUL O., Uyarel H., PUSUROGLU H., KARAYAKALI M., GUL M., Cetin M., SATILMISOGLU H., YILDIRIM A., BAKIR I.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.18, no.1, pp.54-61, 2017 (Journal Indexed in SCI)
- XXVII. **An increase in epicardial adipose tissue is strongly associated with carotid intima-media thickness and atherosclerotic plaque, but LDL only with the plaque**
KOCAMAN S. A. , BAYSAN O., Çetin M., ALTUNER T. K. , OCAKLI E. P. , DURAKOĞLUGİL M. E. , Erdoğan T., KARAOGUZ M. R.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.17, no.1, pp.56-63, 2017 (Journal Indexed in SCI)
- XXVIII. **Fragmented QRS on Admission Electrocardiography Predicts Long-Term Mortality in Patients with Non-ST-Segment Elevation Myocardial Infarction**
BOZBEYOGLU E., YILDIRIMTURK O., YAZICI S., CEYLAN U. S. , ERDEM A., KAYA A., DONMEZ C., AKYUZ S., Cetin M.
ANNALS OF NONINVASIVE ELECTROCARDIOLOGY, vol.21, no.4, pp.352-357, 2016 (Journal Indexed in SCI)
- XXIX. **Low-Level Vitamin D Is Associated with Atrial Fibrillation in Patients with Chronic Heart Failure**
BELEN E., AYKAN A. C. , KALAYCIÖĞLU E., SUNGUR M. A. , SUNGUR A., Cetin M.
ADVANCES IN CLINICAL AND EXPERIMENTAL MEDICINE, vol.25, no.1, pp.51-57, 2016 (Journal Indexed in SCI)
- XXX. **Relation of Angiographic Thrombus Burden with Severity of Coronary Artery Disease in Patients with ST Segment Elevation Myocardial Infarction**
DUMAN H., CETIN M., Durakoglugil M. E. , DEĞİRMENCİ H., HAMUR H., Bostan M., Karadag Z., Cicek Y.
MEDICAL SCIENCE MONITOR, vol.21, pp.3540-3546, 2015 (Journal Indexed in SCI)
- XXXI. **Ambulatory arterial stiffness index is associated with impaired left atrial mechanical functions in hypertensive diabetic patients: A speckle tracking study**
KALAYCIÖĞLU E., Gokdeniz T., AYKAN A. C. , HATEM E., GURSOY O. M. , CAVUSOGLU G., Cetin M., CELIK S.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.15, no.10, pp.807-813, 2015 (Journal Indexed in SCI)
- XXXII. **Complexity of lower extremity peripheral artery disease reflects the complexity of coronary artery disease**
AYKAN A. C. , HATEM E., KARABAY C. Y. , GÜL I., GÖKDENİZ T., KALAYCIÖĞLU E., TURAN T., KARA F., ARSLAN A. O. , DURSUN I., et al.
VASCULAR, vol.23, no.4, pp.366-373, 2015 (Journal Indexed in SCI)
- XXXIII. **The relationship of plasma catestatin concentrations with metabolic and vascular parameters in untreated hypertensive patients: Influence on high-density lipoprotein cholesterol**
Durakoglugil M. E. , AYAZ T., KOCAMAN S. A. , KIRBAS A., DURAKOGLUGIL T., ERDOGAN T., Cetin M., Sahin O. Z. , CICEK Y.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.15, no.7, pp.577-585, 2015 (Journal Indexed in SCI)
- XXXIV. **Comparison of low dose versus standard dose heparin for radial approach in elective coronary angiography?**
AYKAN A. C. , GÖKDENİZ T., GÜL I., KALAYCIÖĞLU E., Cetin M., HATEM E., CAVUSOGLU I. G. , KARABAY C. Y. , GÜLER A., Aykan D. A. , et al.

INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.187, pp.389-392, 2015 (Journal Indexed in SCI)

- XXXV. **Relationship of fragmented QRS with prognostic markers and long-term major adverse cardiac events in patients undergoing coronary artery bypass graft surgery**
Cicek Y., KOCAMAN S. A. , DURAKOĞLUGİL M. E. , Cetin M., CANGA A., Bozok S., DOĞAN S., ERDOĞAN T.
JOURNAL OF CARDIOVASCULAR MEDICINE, vol.16, no.2, pp.112-117, 2015 (Journal Indexed in SCI)
- XXXVI. **Androgenetic alopecia is associated with increased arterial stiffness in asymptomatic young adults**
AGAC M. T. , BEKTAS H., KORKMAZ L., Cetin M., ERKAN H., GURBAK I., HATEM E., CELIK S.
JOURNAL OF THE EUROPEAN ACADEMY OF DERMATOLOGY AND VENEREOLOGY, vol.29, no.1, pp.26-30, 2015
(Journal Indexed in SCI)
- XXXVII. **Management and outcomes of coronary artery perforations during percutaneous treatment of acute coronary syndromes**
AYKAN A. C. , GULER A., GUL I., KARABAY C. Y. , ALIZADE E., GOKDENIZ T., KALAYCIOGLU E., Cetin M., YILDIZ M.
PERFUSION-UK, vol.30, no.1, pp.71-76, 2015 (Journal Indexed in SCI)
- XXXVIII. **Clinical staging in chronic heart failure associated with low vitamin D and elevated parathormone levels**
BELEN E., TIPI F. F. , AYKAN A. C. , FINDIKCIOGLU U., KARAKUS G., YESIL A., HELVACI A., KALAYCIOĞLU E., Cetin M.
ACTA CARDIOLOGICA, vol.69, no.6, pp.665-671, 2014 (Journal Indexed in SCI)
- XXXIX. **Predictive value of elevated soluble CD40 ligand in patients undergoing primary angioplasty for ST-segment elevation myocardial infarction**
PUSUROGLU H., AKGUL O., ERTURK M., Uyarel H., BULUT U., AKKAYA E., Buturak A., SURGIT O., FUAT A., Cetin M., et al.
CORONARY ARTERY DISEASE, vol.25, no.7, pp.558-564, 2014 (Journal Indexed in SCI)
- XL. **Ankle Brachial Index Intensifies the Diagnostic Accuracy of Epicardial Fat Thickness for the Prediction of Coronary Artery Disease Complexity**
AYKAN A. C. , GÜL I., GÖKDENİZ T., HATEM E., ARSLAN A. O. , KALAYCIOĞLU E., TURAN T., BELEN E., Cetin M.
HEART LUNG AND CIRCULATION, vol.23, no.8, pp.764-771, 2014 (Journal Indexed in SCI)
- XL I. **Predictive Value of Elevated Uric Acid in Turkish Patients Undergoing Primary Angioplasty for ST Elevation Myocardial Infarction**
AKGUL O., Uyarel H., PUSUROGLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.
ACTA CARDIOLOGICA SINICA, vol.30, no.2, pp.119-127, 2014 (Journal Indexed in SCI)
- XLII. **YKL-40 levels in patients with coronary artery ectasia Reply**
KOCAMAN S. A. , DURAKOĞLUGİL M. E. , Cetin M., ERDOĞAN T.
ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.14, no.1, pp.98, 2014 (Journal Indexed in SCI)
- XLIII. **YKL-40 as new cardiac biomarker Reply**
KOCAMAN S. A. , Cetin M., DURAKOĞLUGİL M. E. , ERDOĞAN T.
ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.14, no.1, pp.99, 2014 (Journal Indexed in SCI)
- XLIV. **A simple angiographic index to predict adverse clinical outcome associated with acute myocardial infarction**
Ağaç M. T. , Ağaç S., KORKMAZ L., ERKAN H., Turan T., BEKTAŞ H., Akyüz A. R. , Çetin M., CELİK Ş.
Turk Kardiyoloji Dernegi Arsivi, vol.42, no.4, pp.321-329, 2014 (Journal Indexed in SCI Expanded)
- XLV. **Aortic valve sclerosis is a high predictive marker of systemic endothelial dysfunction in hypertensive patients**
Erdoğan T., Çetin M., KOCAMAN S. A. , Durakoglugil M. E. , ERGUL E., CANGA A.
HERZ, vol.38, no.8, pp.915-921, 2013 (Journal Indexed in SCI)
- XLVI. **Increased serum resistin levels in patients with coronary slow-flow phenomenon**
CANGA A., CETIN M., KOCAMAN S. A. , DURAKOĞLUGİL M. E. , Kırbas A., Erdoğan T., TEMİZ A., YILMAZ A., Çiçek Y.
HERZ, vol.38, no.7, pp.773-778, 2013 (Journal Indexed in SCI)
- XLVII. **Predictive value of elevated D-dimer in patients undergoing primary angioplasty for ST elevation**

myocardial infarction

AKGUL O., Uyarel H., PUSUROGLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.

BLOOD COAGULATION & FIBRINOLYSIS, vol.24, no.7, pp.704-710, 2013 (Journal Indexed in SCI)

XLVIII. Predictive value of elevated cystatin C in patients undergoing primary angioplasty for ST-elevation myocardial infarction

AKGUL O., Uyarel H., Ergelen M., PUSUROGLU H., GUL M., TUREN S., BULUT U., BAYCAN O. F., OZAL E., Cetin M., et al. JOURNAL OF CRITICAL CARE, vol.28, no.5, 2013 (Journal Indexed in SCI)

XLIX. Relationship between fragmented QRS complexes and left ventricular systolic and diastolic functions

CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Çetin M., Erdoğan T., KIRIS T., ERDEN M. HERZ, vol.38, no.6, pp.665-670, 2013 (Journal Indexed in SCI)

L. Increased YKL-40 levels in patients with isolated coronary artery ectasia: an observational study

ERDOĞAN T., KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., Kirbas A., CANGA A., YILMAZ A., DOGAN S., ÇİÇEK Y. ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.5, pp.465-470, 2013 (Journal Indexed in SCI)

L.I. The risk of developing AF after cardiac surgery Reply

Cetin M., KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOGAN S., ŞATIROĞLU Ö.

ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.5, pp.502, 2013 (Journal Indexed in SCI)

L.II. Increased Carotid and Brachial Intima-Media Thickness is Related to Diffuse Coronary Involvement Rather Than Focal Lesions

CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö. ANGIOLOGY, vol.64, no.5, pp.356-363, 2013 (Journal Indexed in SCI)

L.III. Prognostic value of elevated mean platelet volume in patients undergoing primary angioplasty for ST-elevation myocardial infarction

AKGUL O., Uyarel H., PUSUROGLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.

ACTA CARDIOLOGICA, vol.68, no.3, pp.307-314, 2013 (Journal Indexed in SCI)

L.IV. Increased pulse wave velocity and carotid intima-media thickness in patients with carpal tunnel syndrome

DURAKOĞLUGİL M. E., ÇİÇEK Y., KOCAMAN S. A., BALIK M. S., Kirbas S., Cetin M., ERDOĞAN T., CANGA A. MUSCLE & NERVE, vol.47, no.6, pp.872-877, 2013 (Journal Indexed in SCI)

L.V. Epicardial adipose tissue is independently associated with increased left ventricular mass in untreated hypertensive patients: an observational study

ERDOĞAN T., Cetin M., Kocaman S. A., DURAKOĞLUGİL M. E., ERGUL E., UGURLU Y., CANGA A.

ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.4, pp.320-327, 2013 (Journal Indexed in SCI)

L.VI. Effect of epicardial adipose tissue on diastolic functions and left atrial dimension in untreated hypertensive patients with normal systolic function

Cetin M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ERDOĞAN T., ERGUL E., DOGAN S., CANGA A.

JOURNAL OF CARDIOLOGY, vol.61, pp.359-364, 2013 (Journal Indexed in SCI)

L.VII. The independent relationship of epicardial adipose tissue with carotid intima-media thickness and endothelial functions: the association of pulse wave velocity with the active facilitated arterial conduction concept

KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ERGUL E., CANGA A.

BLOOD PRESSURE MONITORING, vol.18, no.2, pp.85-93, 2013 (Journal Indexed in SCI)

L.VIII. INCREASED CIRCULATING SOLUBLE CD40 LEVELS IN PATIENTS WITH SLOW CORONARY FLOW PHENOMENON

Durakoglugil M. E., KOCAMAN S. A., CETIN M., Kirbas A., CANGA A., Erdogan T., Cicek Y.

INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (Journal Indexed in SCI)

- LIX. **INCREASED PLASMINOGEN ACTIVATOR INHIBITOR-1 LEVELS IN PATIENTS WITH ISOLATED CORONARY ARTERY ECTASIA**
Cicek Y., Durakoglugil M. E. , Erdogan T., CETIN M., Yilmaz A., Uydu H. A. , SAGLAM H., KOCAMAN S. A. , CANGA A., Satiroglu O., et al.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (Journal Indexed in SCI)
- LX. **PREMATURE HAIR WHITENING IS AN INDEPENDENT PREDICTOR OF CAROTID INTIMA-MEDIA THICKNESS IN YOUNG AND MIDDLE-AGED MEN**
KOCAMAN S. A. , ERDOGAN T., DURAKOGLUGIL M. E. , Cetin M., UGURLU Y., SAHIN I., CANGA A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (Journal Indexed in SCI)
- LXI. **Elevated serum YKL-40 level predicts myocardial reperfusion and in-hospital MACE in patients with STEMI**
CETIN M., KOCAMAN S. A. , CANGA A., KIRBAS A., YILMAZ A., Erdoğan T., AKGUL Ö., UGURLU Y., DURAKOĞLUGİL M. E.
HERZ, vol.38, no.2, pp.202-209, 2013 (Journal Indexed in SCI)
- LXII. **EPICARDIAL ADIPOSE TISSUE IS INDEPENDENTLY ASSOCIATED WITH INCREASED LEFT VENTRICULAR MASS IN UNTREATED HYPERTENSIVE PATIENTS: AN OBSERVATIONAL STUDY**
ERDOGAN T., DURAKOGLUGIL M. E. , Cetin M., KOCAMAN S. A. , ERGUL E., UGURLU Y., CANGA A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (Journal Indexed in SCI)
- LXIII. **ELEVATED SERUM OSTEOPROTEGERIN LEVELS PREDICT IN-HOSPITAL MACE IN PATIENTS WITH STEMI**
CANGA A., Durakoglugil M. E. , Erdogan T., Kirbas A., Yilmaz A., Cicek Y., ERGUL E., CETIN M., KOCAMAN S. A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (Journal Indexed in SCI)
- LXIV. **Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study**
Durakoglugil M. E. , KOCAMAN S. A. , Cetin M., Kirbas A., CANGA A., Erdogan T., Cicek Y.
ANADOLU KARDIYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.1, pp.39-44, 2013 (Journal Indexed in SCI)
- LXV. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**
ÇİÇEK Y., DURAKOĞLUGİL M. E. , KOCAMAN S. A. , Cetin M., ERDOĞAN T., DOĞAN S., UGURLU Y., CANGA A.
BLOOD PRESSURE, vol.22, no.1, pp.34-38, 2013 (Journal Indexed in SCI)
- LXVI. **Premature Hair Whitening is an Independent Predictor of Carotid Intima-media Thickness in Young and Middle-aged Men**
Erdogan T., KOCAMAN S. A. , Cetin M., Durakoglugil M. E. , UGURLU Y., SAHIN I., CANGA A.
INTERNAL MEDICINE, vol.52, no.1, pp.29-36, 2013 (Journal Indexed in SCI)
- LXVII. **Comparison of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease.**
UYDU H. A. , BOSTAN M., YILMAZ A., DEMİR A., ATAK M., ŞATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.
European review for medical and pharmacological sciences, vol.17, no.1, pp.112-8, 2013 (Journal Indexed in SCI Expanded)
- LXVIII. **Independent determinants of ascending aortic dilatation in hypertensive patients: smoking, endothelial dysfunction, and increased epicardial adipose tissue**
Cetin M., KOCAMAN S. A. , DURAKOĞLUGİL M. E. , ERDOĞAN T., UGURLU Y., DOĞAN S., CANGA A.
BLOOD PRESSURE MONITORING, vol.17, no.6, pp.223-230, 2012 (Journal Indexed in SCI)
- LXIX. **Relationship between Leukocyte and Subtype Counts, Low-Grade Inflammation and Slow Coronary Flow Phenomenon in Patients with Angiographically Normal Coronary Arteries**
Canga A., Kocaman S. A. , Cetin M., Cetin M., Durakoglugil E., ERDOĞAN T., ÇİÇEK Y.
ACTA CARDIOLOGICA SINICA, vol.28, no.4, pp.306-314, 2012 (Journal Indexed in SCI)
- LXX. **A rare sign of ischemia during exercise ECG: PR interval lengthening in the recovery period**
DURAKOĞLUGİL M. E. , Kocaman S. A. , ÇİÇEK Y., CETIN M.

Türk Kardiyoloji Derneği arşivi : Türk Kardiyoloji Derneğinin yayın organıdır, vol.40, no.8, pp.719-722, 2012
(Journal Indexed in SCI Expanded)

- LXXI. **Severity of coronary artery disease and prostate-specific antigen relationship in men**
ŞATIROĞLU Ö., BOSTAN M., UZUN H., Cetin M., BOZKURT E.
EUROPEAN REVIEW FOR MEDICAL AND PHARMACOLOGICAL SCIENCES, vol.16, no.15, pp.2078-2081, 2012
(Journal Indexed in SCI)
- LXXII. **Elevated serum osteoprotegerin levels predict in-hospital major adverse cardiac events in patients with ST elevation myocardial infarction**
CANGA A., DURAKOĞLUGİL M. E. , ERDOĞAN T., Kirbas A., YILMAZ A., ÇİÇEK Y., ERGUL E., Cetin M., KOCAMAN S. A.
JOURNAL OF CARDIOLOGY, vol.60, pp.355-360, 2012 (Journal Indexed in SCI)
- LXXIII. **Fragmented QRS may predict postoperative atrial fibrillation in patients undergoing isolated coronary artery bypass graft surgery**
Cetin M., KOCAMAN S. A. , ERDOĞAN T., DURAKOĞLUGİL M. E. , ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOĞAN S., ŞATIROĞLU Ö.
ANADOLU KARDIYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.12, no.7, pp.576-583, 2012
(Journal Indexed in SCI)
- LXXIV. **Absence and Resolution of Fragmented QRS Predict Reversible Myocardial Ischemia With Higher Probability of ST Segment Resolution in Patients With ST Segment Elevation Myocardial Infarction**
Çetin M., KOCAMAN S. A. , KIRIS T., Erdoğan T., CANGA A., DURAKOĞLUGİL M. E. , CICEK Y., DOĞAN S., SATIROĞLU Ö.
KOREAN CIRCULATION JOURNAL, vol.42, no.10, pp.674-683, 2012 (Journal Indexed in SCI)
- LXXV. **The degree of premature hair graying as an independent risk marker for coronary artery disease: a predictor of biological age rather than chronological age**
KOCAMAN S. A. , Cetin M., DURAKOĞLUGİL M. E. , ERDOĞAN T., CANGA A., ÇİÇEK Y., DOĞAN S., SAHİN I., ŞATIROĞLU Ö., Bostan M.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.12, no.6, pp.457-463, 2012 (Journal Indexed in SCI)
- LXXVI. **Increased epicardial adipose tissue in patients with slow coronary flow phenomenon**
ERDOĞAN T., CANGA A., KOCAMAN S. A. , Cetin M., DURAKOĞLUGİL M. E. , ÇİÇEK Y., UGURLU Y., Bozok S.
KARDIOLOGIA POLSKA, vol.70, no.9, pp.903-909, 2012 (Journal Indexed in SCI)
- LXXVII. **Increased pulse wave velocity in patients with panic disorder: Independent vascular influence of panic disorder on arterial stiffness**
ÇİÇEK Y., DURAKOĞLUGİL M. E. , KOCAMAN S. A. , GUVELİ H., Cetin M., ERDOĞAN T., SAHİN I., DOĞAN S., CANGA A.
JOURNAL OF PSYCHOSOMATIC RESEARCH, vol.73, no.2, pp.145-148, 2012 (Journal Indexed in SCI)
- LXXVIII. **Relationship of fragmented QRS complexes with inadequate coronary collaterals in patients with chronic total occlusion**
ERDOĞAN T., KOCAMAN S. A. , Cetin M., CANGA A., DURAKOĞLUGİL M. E. , ÇİÇEK Y., TEMİZ A., Karadag Z., UGURLU Y., ŞATIROĞLU Ö., et al.
JOURNAL OF CARDIOVASCULAR MEDICINE, vol.13, no.8, pp.499-504, 2012 (Journal Indexed in SCI)
- LXXIX. **Relationship of the angiographic extent of peripheral arterial disease with coronary artery involvement**
ŞATIROĞLU Ö., KOCAMAN S. A. , Karadag Z., TEMİZ A., Cetin M., CANGA A., ERDOĞAN T., Bostan M., ÇİÇEK Y., Durakoglugil E., et al.
JOURNAL OF THE PAKISTAN MEDICAL ASSOCIATION, vol.62, no.7, pp.644-649, 2012 (Journal Indexed in SCI)
- LXXX. **The independent relationship between systemic inflammation and fragmented QRS complexes in patients with stable angina pectoris**
Cetin M., KOCAMAN S. A. , CANGA A., DURAKOĞLUGİL M. E. , ERDOĞAN T., ŞATIROĞLU Ö., KIRIS T., UGURLU Y., ÇİÇEK Y., Bostan M.
KARDIOLOGIA POLSKA, vol.70, no.7, pp.668-676, 2012 (Journal Indexed in SCI)
- LXXXI. **The Independent Relationship of Systemic Inflammation With Fragmented QRS Complexes in Patients With Acute Coronary Syndromes**
Çetin M., KOCAMAN S. A. , Erdoğan T., CANGA A., DURAKOĞLUGİL M. E. , SATIROĞLU Ö., AKGUL O., KIRIS T., CICEK Y., YAYLAK B., et al.

- KOREAN CIRCULATION JOURNAL, vol.42, no.7, pp.449-457, 2012 (Journal Indexed in SCI)
- LXXXII. **Relation between aortic stiffness and extension of coronary artery disease**
SATIROĞLU Ö., BOSTAN M., BAYAR N., CICEK Y., Cetin M., BOZKURT E.
TURKISH JOURNAL OF MEDICAL SCIENCES, vol.42, no.3, pp.417-424, 2012 (Journal Indexed in SCI)
- LXXXIII. **Association between deletion polymorphism of angiotensin converting enzyme gene and pulmonary hypertension in pulmonary thromboembolism**
BOZOK S., ILHAN G., DESTAN B., KARAMUSTAFA H., KARAKISI S. O. , ÇETİN M., TUFEKCI N., ASLAN C., EMIR M.
TURK GOGUS KALP DAMAR CERRAHISI DERGISI-TURKISH JOURNAL OF THORACIC AND CARDIOVASCULAR SURGERY, vol.20, no.2, pp.281-286, 2012 (Journal Indexed in SCI)
- LXXXIV. **Relationship of fragmented QRS with prognostic markers and in-hospital MACE in patients undergoing CABG**
ERDOĞAN T., Cetin M., KOCAMAN S. A. , CANGA A., DURAKOĞLUGİL M. E. , ÇİÇEK Y., Bozok S., ŞATIROĞLU Ö., Bostan M.
SCANDINAVIAN CARDIOVASCULAR JOURNAL, vol.46, no.2, pp.107-113, 2012 (Journal Indexed in SCI)
- LXXXV. **Increased Epicardial Adipose Tissue Thickness Is Correlated with Ascending Aortic Diameter**
CANGA A., KOCAMAN S. A. , Cetin M., Erdogan T., Durakoglugil M. E. , Cicek Y., UGURLU Y., Satiroglu O.
TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE, vol.226, no.3, pp.183-190, 2012 (Journal Indexed in SCI)
- LXXXVI. **Increased Epicardial Adipose Tissue in Patients with Isolated Coronary Artery Ectasia**
Cetin M., ERDOĞAN T., KOCAMAN S. A. , CANGA A., ÇİÇEK Y., DURAKOĞLUGİL M. E. , ŞATIROĞLU Ö., AKGUL O., Bostan M.
INTERNAL MEDICINE, vol.51, no.8, pp.833-838, 2012 (Journal Indexed in SCI)
- LXXXVII. **Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia**
ÇİÇEK Y., DURAKOĞLUGİL M. E. , ERDOĞAN T., YILMAZ A., UYDU H. A. , SAGLAM H., Cetin M., ŞATIROĞLU Ö., Bostan M., CANGA A., et al.
JOURNAL OF THROMBOSIS AND THROMBOLYSIS, vol.33, no.1, pp.120-123, 2012 (Journal Indexed in SCI)
- LXXXVIII. **Increased Serum Bilirubin Level is Related to Good Collateral Development in Patients with Chronic Total Coronary Occlusion**
Erdogan T., Cicek Y., KOCAMAN S. A. , CANGA A., Cetin M., Durakoglugil E., Satiroglu O., TEMİZ A., ERGUL E., SAHİN I., et al.
INTERNAL MEDICINE, vol.51, no.3, pp.249-255, 2012 (Journal Indexed in SCI)
- LXXXIX. **The particular interactions of the traditional cardiovascular risk factors with different circulating specific leukocyte subtype counts in blood: an observational study**
Kocaman S. A. , Sahinarslan A., Kunak T., Balcioglu S., Cetin M., Cemri M., Timurkaynak T., Boyaci B., Cengel A.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.11, no.7, pp.573-581, 2011 (Journal Indexed in SCI)
- XC. **Metabolic syndrome is a predictor for an ECG sign of no-reflow after primary PCI in patients with acute ST-elevation myocardial infarction**
TARTAN Z., OZER N., UYAREL H., AKGUL O., GUL M., Cetin M., KASIKCIOGLU H., CAM N.
NUTRITION METABOLISM AND CARDIOVASCULAR DISEASES, vol.18, no.6, pp.441-447, 2008 (Journal Indexed in SCI)
- XCI. **Level of Selvester QRS score is predictive of ST-segment resolution and 30-day outcomes in patients with acute myocardial infarction undergoing primary coronary intervention**
Uyarel H., Cam N., Okmen E., Kasikcioglu H., Tartan Z., Akgul O., Simsek D., Cetin M., Bozbeyoglu E., Buturak A., et al.
AMERICAN HEART JOURNAL, vol.151, no.6, 2006 (Journal Indexed in SCI)

Articles Published in Other Journals

- I. **Esophagitis and gastritis are associated with premature atrial contractions in patients with gastroesophageal reflux disease**
BODUR O., YILMAZ A. S. , AKDOĞAN R. A. , DURAKOĞLUGİL M. E. , DUMAN H., KOCAMAN S. A. , ÇETİN M.
Cardiovascular Surgery and Interventions, vol.8, no.2, pp.109-115, 2021 (Refereed Journals of Other Institutions)

- II. **Predictors for the prolonged R wave peak time among patients with arterial hypertension**
Cinier G., YILMAZ A. S. , Tekkesin A. I. , ÇETİN M.
TURK KARDIOLOJİ DERNEĞİ ARSIVI-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, vol.49, no.5, pp.387-394, 2021 (Journal Indexed in ESCI)
- III. **Epicardial fat thickness is associated with retinopathy in patients with newly diagnosed hypertension**
Ozer S., Yucekul B., YILMAZ A. S. , Ozyildiz A. G. , Kinik M., TURAN O. E. , ASLAN M. G. , ÇETİN M.
NORTHERN CLINICS OF ISTANBUL, vol.8, no.4, pp.365-370, 2021 (Journal Indexed in ESCI)
- IV. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery**
Erdoğan T., Çetin M., Çinier G., Özer S., Yılmaz A. S. , Karakişi S. O. , Kırış T.
JOURNAL OF THE SAUDI HEART ASSOCIATION, vol.1, no.1, pp.1-11, 2020 (Journal Indexed in ESCI)
- V. **A New Scoring System Detecting the Supraventricular Tachycardia Inducibility and Radiofrequency Ablation With High Specificity in Electrophysiological Study**
Ozer S., ÇETİN M., Ozyildiz A. G. , Gengoru R., TURAN O. E. , Pusuroglu M., BAHÇECİ B., Erdogan T.
JOURNAL OF THE SAUDI HEART ASSOCIATION, vol.32, no.2, pp.134-140, 2020 (Journal Indexed in ESCI)
- VI. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery**
Erdogan T., ÇETİN M., Cinier G., Ozer S., Yolmaz A. S. , Karakisi O., Koros T.
JOURNAL OF THE SAUDI HEART ASSOCIATION, vol.32, no.1, pp.79-85, 2020 (Journal Indexed in ESCI)
- VII. **Prolonged QRS independently predicts long-term all-cause mortality in patients with narrow QRS complex undergoing coronary artery bypass grafting surgery (9-year follow-up results)**
Erdoğan T., Çetin M., Özyıldız A., Özer S., Uslu A., Karakişi S. O. , Kırış T.
KARDIOCHIRURGIA I TORAKOCHIRURGIA POLSKA-POLISH JOURNAL OF THORACIC AND CARDIOVASCULAR SURGERY, vol.17, no.3, pp.117-122, 2020 (Journal Indexed in ESCI)
- VIII. **Impact of Postdilatation on Intervention Success and Long-Term Major Adverse Cardiovascular Events (MACE) among Patients with Acute Coronary Syndromes**
ERDOĞAN T., Duman H., ÇETİN M., ÖZER S., ÇİNİER G., Usta E., USTA M., KIRIŞ T.
CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, vol.4, no.3, pp.185-193, 2020 (Journal Indexed in ESCI)
- IX. **Increased Epicardial Adipose Tissue is Associated with the Extent of Aortic Dissection**
EMLEK N., YILMAZ A. S. , ÖZER S., GÜNDOĞDU H., DURAKOĞLUGİL M. E. , ÇETİN M.
Journal of the Saudi Heart Association, vol.32, 2020 (Journal Indexed in ESCI)
- X. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery: 10-year follow-up results**
ERDOĞAN T., ÇETİN M., ÇİNİER G., ÖZER S., YILMAZ A. S. , KARAKİŞİ S. O. , KIRIŞ T.
Journal of the Saudi Heart Association, 2019 (Refereed Journals of Other Institutions)
- XI. **The Relationship Between Mean Platelet Volume and In-Hospital Mortality in Geriatric Patients with ST Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention**
SATIROĞLU O., Durakoglugil M. E. , UYDU H. A. , DUMAN H., Çetin M., CICEK Y., Erdoğan T.
CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, vol.4, no.2, pp.135-141, 2019 (Journal Indexed in ESCI)
- XII. **Hair whitening and obesity are independently related to ascending aorta dilatation in young-middle aged men**
Çetin M., BOZBEYOĞLU E., Erdoğan T., KOCAMAN S. A. , SATIROĞLU O., Durakoglugil M. E.
NORTHERN CLINICS OF ISTANBUL, vol.6, no.1, pp.33-39, 2019 (Journal Indexed in ESCI)
- XIII. **Elektrofizyoloji Laboratuvarında Supraventriküler Taşikardi Uyarılabilirliği İçin Tipik Semptomlar Döküman EKG Varlığı Kadar Önemlidir**
KOCAMAN s. a. , CETIN M., Bodur O., DURAKOĞLUGİL M. E. , ERDOĞAN T., ŞATIROĞLU Ö., ERDEM d., KARAOĞUZ r.

Medicana Medical Journal, vol.2, no.2, pp.46-51, 2018 (Other Refereed National Journals)

- XIV. **Prolonged QRS duration on surface electrocardiogram is associated with left ventricular restrictive filling pattern**
Erdoğan T., Durakoglugil M. E. , CICEK Y., Çetin M., DUMAN H., SATIROGLU O., Celik S.
INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, vol.9, no.1, pp.9-14, 2017 (Journal Indexed in ESCI)
- XV. **The role of urotensin II and atherosclerotic risk factors in patients with slow coronary flow**
SATIROGLU O., Durakoglugil M. E. , Çetin M., CICEK Y., Erdoğan T., DUMAN H.
INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, vol.8, no.4, pp.158-163, 2016 (Journal Indexed in ESCI)
- XVI. **Semptomu Olan Yüksek Riskli Hastalarda Karotis Arter Stentleme: Tek Merkez Deneyimi**
AYKAN A. Ç. , GÜL İ., GÖKDENİZ T., KALAYCIOĞLU E., TURAN T., DURSUN İ., HATEM E., ÇETİN M., ÇELİK Ş.
Kosuyolu Heart Journal, vol.17, no.2, pp.91-94, 2014 (Other Refereed National Journals)
- XVII. **Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard İnfarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür**
ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E. , ÇİÇEK Y., Kocaman S. A. , Canga A.
Duzce Medical Journal, vol.16, no.1, pp.29-34, 2014 (National Refreed University Journal)
- XVIII. **ALANINE AMINOTRANSFERASE LEVELS AND MONOCYTE COUNTINDEPENDENTLY PREDICT 30 DAY OUTCOMES IN ST ELEVATIONMYOCARDIAL INFARCTION PATIENTS WITH SUCCESSFULLYRESTORED CORONARY TIMI 3 FLOW BY PRIMARY PERCUTANEOUSCORONARY INTERVENTION**
ERDOĞAN T., ÇETİN M., sinan altan k, DURAKOĞLUGİL M. E. , aytun ç., ÇİÇEK Y., akgül ö., gül m.
DUZCE MEDICAL JOURNAL, vol.16, no.1, pp.29-34, 2014 (Other Refereed National Journals)
- XIX. **Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard İnfarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür.**
ERDOĞAN T., ÇETİN M., KOCAMAN S. A. , DURAKOĞLUGİL M. E. , ÇANGA A., ÇİÇEK Y., AKGÜL Ö., GÜL M.
Düzce Üniversitesi Tıp Fakültesi Dergisi, vol.1, no.1, pp.29-34, 2014 (Other Refereed National Journals)
- XX. **Diagnostic Performance of 128-Slice Multi-Slice Computed Tomography for the Detection of Significant Coronary Artery Lesions**
ÇİÇEK Y., CANGA A., DURAKOGLUGIL M. E. , ÇETİN M., ŞATIROĞLU Ö., KOCAMAN S. A. , ERDOĞAN T., BOZKURT S., ÖZATEŞ M.
SELÇUK TIP DERGİSİ, vol.29, no.3, pp.108-112, 2013 (National Refreed University Journal)
- XXI. **A Case with Myopericarditis Caused by H1N1 Virus Infection**
ÇANGA A., BOSTAN M., ÇETİN M., ERDOĞAN T., ÇİÇEK Y.
ELECTRONIC JOURNAL OF GENERAL MEDICINE, vol.10, no.42, pp.81-82, 2013 (Other Refereed National Journals)
- XXII. **Arterial Stiffness in Normotensive Patients with Rheumatoid Arthritis is not Impaired in Early Period**
TEMİZ A., GÜNGÖR Ö., DEVRİMSEL G., UĞURLU Y., ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö., BOSTAN M.
International Journal of Clinical Research, vol.1, no.1, pp.1-4, 2013 (Other Refereed National Journals)
- XXIII. **Thrombin Activatable Fibrinolysis Inhibitor (TAFI) Activity In Patients with Isolated Coronary Artery Ectasia**
CANGA A., KOCAMAN S. A. , ÇETİN M., KIRBAŞ A., DURAKOGLUGIL M. E. , ERDOĞAN T., TEMİZ A., ERGUL E., ÇİÇEK Y.
International Journal of Clinical Research, vol.1, no.1, pp.5-9, 2013 (International Refreed University Journal)
- XXIV. **Normotansif Erken Dönem Romatoid Artrit Hastalarında Arteriyel Sertlik Bozulmamıştır**
Temiz A., Uğurlu ., ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö.
Uluslararası Klinik Araştırmalar Dergisi, vol.1, no.1, pp.1-4, 2013 (Other Refereed National Journals)
- XXV. **A rare combination: Single coronary artery originating from the left sinus of valsalva coexisting with perimembranous ventricular septal defect**
CANGA A., KOCAMAN S. A. , KESKİN G., Çetin M., DURAKOĞLUGİL M. E. , Bozok Ş.
Journal of Cardiology Cases, vol.6, no.2, 2012 (Refereed Journals of Other Institutions)
- XXVI. **The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention**
SİNAN ALTAN K., ÇETİN M., TUNCAY K., ERDOĞAN T., ŞATIROĞLU Ö., ŞAHİNARSLAN A., ÇİÇEK Y., BOSTAN M.

TURK KARDIYOLOJİ DERNEĞİ ARSIVI-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, vol.40, no.3, pp.213-222, 2012 (Other Refereed National Journals)

- XXVII. **Huge Non-ruptured True Saccular Aneurysm of the Ascending Aorta**
ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E.
GAZI MEDICAL JOURNAL, vol.23, no.4, pp.151-153, 2012 (Journal Indexed in ESCI)
- XXVIII. **Red Blood Cell Distribution Width RDW and its Association with Coronary Atherosclerotic Burden in Patients with Stable Angina Pectoris**
ÇETİN M., BOSTAN M., SİNAN ALTAN K., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., TEMİZ A.
Eur J Gen Med, vol.1, no.9, pp.7-13, 2012 (Other Refereed National Journals)
- XXIX. **Primary percutaneous coronary intervention for the treatment of a patient with cardiogenic shock due to acute total occlusion of unprotected left main coronary artery without supportive collateral flow.**
Çetin M., KOCAMAN S., BOSTAN M., Erdogan T., Satiroglu Ö.
Future cardiology, vol.7, pp.749-55, 2011 (Refereed Journals of Other Institutions)
- XXX. **Giant superior mesenteric artery aneurysm**
TEMİZ A., BOSTAN M., SATIROGLU Ö., ÇETİN M., BOZKURT E.
Dicle Medical Journal / Dicle Tıp Dergisi, vol.38, no.3, pp.352-354, 2011 (Other Refereed National Journals)
- XXXI. **Periferik Arter Hastalığı Yaygınlığıyla Aterosklerotik RiskFaktörleri Arasında İlişki**
SATIROGLU Ö., BOSTAN M., CICEK Y., ÇETİN M., BOZKURT E.
Selçuk Üniv Tıp Derg, vol.4, no.277, pp.213-218, 2011 (Other Refereed National Journals)
- XXXII. **Acute change in left ventricle end-diastolic pressure after primary percutaneous coronary intervention in patients with ST segment elevation myocardial infarction**
SATIROGLU Ö., CICEK Y., BOSTAN M., çetin M., BOZKURT E.
American Heart Hospital Journal, vol.8, no.2, pp.86-90, 2010 (Refereed Journals of Other Institutions)
- XXXIII. **The relationship between high sensitivity C reactive protein levels on admission andST segment resolution following successful primary percutaneous coronary intervention**
UYAREL H., ÇETİN M.
Türk Kardiyol Dern Arfl, vol.7, no.34, pp.406-412, 2008 (Other Refereed National Journals)
- XXXIV. **Are the symptoms of mitral valve prolapse syndrome (MVPS) related to angiotensin converting enzyme (ACE) gene polymorphism (I/D)?**
Tangurek B., Ozer N., ÇETİN M., Yılmaz H., Sayar N., Aksoy S., Gurkan U., Bolca O.
MEDICAL JOURNAL OF BAKIRKOY, vol.4, no.4, pp.152-155, 2008 (Journal Indexed in ESCI)
- XXXV. **The Effect of Admission Glucose Levels on ST Segment Resolution Following SuccessfulPrimary Percutaneous Coronary Intervention**
UYAREL H., HÜLYA K., ZEYNEP T., AKGUL Ö., DİLEK Ş., ÇETİN M.
MN Kardiyoloji, vol.2, no.13, pp.102-108, 2006 (Other Refereed National Journals)

Refereed Congress / Symposium Publications in Proceedings

- I. **The documented ECG is related to dual AV nodal pathway physiology, but not to supraventricular tachycardia inducibility in the electrophysiological laboratory.**
Kocaman S. A. , Çetin M., Bodur O., Durakoğlugil M. E. , Erdoğan T., Şatiroğlu Ö., Diker E., Karagöz R.
Ulusal Aritmi Kongresi, Muğla, Turkey, 13 - 15 April 2018
- II. **The documented ECG is related to dual AV nodal pathway physiology, but not to supraventricular tachycardia inducibility in the electrophysiological laboratory.**
Altan Kocaman S., ÇETİN M., Bodur O., DURAKOĞLUGİL M. E. , ERDOĞAN T., ŞATIROĞLU Ö.
Ulusal Aritmi Kongresi, Muğla, Turkey, 13 - 15 April 2018, vol.1, pp.1
- III. **The relationship of mean platelet volume with in-hospital mortality in geriatric patients with ST elevation myocardial infarction who underwent primary percutaneous coronary intervention.**
SATIROGLU Ö., DURAKOGLUGIL M. E. , UYDU H. A. , DUMAN H., ÇETİN M., CICEK Y., ERDOGAN T.

33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Turkey, 5 - 08 October 2017
- IV. **The association of in-hospital mortality with renal functions in geriatric patients with ST elevation myocardial infarction who underwent primary PCI.**
SATIROĞLU Ö., DURAKOĞLUGİL M. E. , ERDOĞAN T., DUMAN H., CİÇEK Y., ÇETİN M.
33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Turkey, 5 - 08 October 2017
- V. **The Relationship between total atrial conduction time and left atrial global strain in patients with psoriasis vulgaris**
DUMAN H., DİLEK N., DEMİRELLİ S., İNCİ S., duman h., ÇETİN M., DURAKOĞLUGİL M. E.
33.ULUSAL KARDİYOLOJİ KONGRESİ, 6 - 09 October 2017
- VI. **Akut gastroenterit sonrası gelişen hipopotasemi ve bradikardiye bağlı polimorfik VT olgusu.**
DUMAN H., DURAKOĞLUGİL M. E. , SATIROĞLU Ö., CİÇEK Y., ERDOĞAN T., ÇETİN M., ERGÜL M.
Ulusal Aritmi Toplantısı 2017, Turkey, 4 - 07 May 2017
- VII. **Metastatik akciğer kanserinin sağ atriyumunu kollebe ettiği ekokardiyografik görüntü olgusu.**
SATIROĞLU Ö., ERDOĞAN T., DURAKOĞLUGİL M. E. , ÇETİN M., DUMAN H., CİÇEK Y.
4. Kardiyoloji Bahar Güncellemesi, Turkey, 2 - 05 March 2017
- VIII. **Aort koarktasyonu operasyonu sırasında hipertansif ensefalopati gelişen ve kurtarılan bir olgu**
SATIROĞLU Ö., DURAKOĞLUGİL M. E. , DUMAN H., ÇETİN M., CİÇEK Y., ERDOĞAN T.
4. Kardiyoloji Bahar Güncellemesi, Turkey, 2 - 05 March 2017
- IX. **Atrial fibrilasyonla prezente olan preeklampsi: Olgu sunumu**
GÜRLEK B., Mete Ural Ü., Çetin M., Tekin Y., Kazaz İ. M.
13. Uludağ Jinekoloji ve Obstetri Kış Kongresi, Bursa, Turkey, 2 - 05 March 2017
- X. **Protez mitral kapakta fungal endokardite bağlı alt ekstremitelerde arterde emboli olgusu**
ŞATIROĞLU Ö., DURAK H., GENÇÖRÜ R., BODUR O., DUMAN H., KARADAĞ Z., ÇETİN M.
32.ULUSLARASI KATILIMLI KARDİYOLOJİ KONGRESİ, 20 - 23 October 2016
- XI. **TAVI sonrası nadir komplikasyon pace leadine bağlı perikardiyal tamponad sonrasında sağ ventrikülde kollaps ve hastanın ölümüne yol açan perikard içi dev trombus öyküsü**
ŞATIROĞLU Ö., DURAKOĞLUGİL M. E. , DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32nd TKD congress with international participation, 20 - 23 October 2016
- XII. **Increased hair whitening and obesity are independently related to ascending aortic dilatation in young-middle aged men.**
ÇETİN M., ERDOĞAN T., KOCAMAN S. A. , DUMAN H., ÇİÇEK Y., ŞATIROĞLU Ö., AKGÜL Ö., DURAKOĞLUGİL M. E.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XIII. **TAVI sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan, perikard içi dev thrombus olgusu.**
ŞATIROĞLU Ö., DURAKOĞLUGİL M. E. , DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XIV. **TAVI sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan perikard içi dev thrombus olgusu**
SATIROĞLU Ö., DURAKOĞLUGİL M. E. , DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
23. uluslararası tkd kongresi, Turkey, 20 October 2016
- XV. **Kronik total tıkalı sol subklavian arterin retrograde tekniklerle perkütan balon ve stentle açılması.**
ŞATIROĞLU Ö., DURAKOĞLUGİL M. E. , DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XVI. **Increased hair whitening and obesity are independently related to ascending aortic dilatation in young-middle aged men.**
ÇETİN M., ERDOĞAN T., DUMAN H., ÇİÇEK Y., ŞATIROĞLU Ö., DURAKOĞLUGİL M. E. , AKGÜL Ö.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016, vol.1, pp.1
- XVII. **Comparison of low dose versus standard dose heparin for radial approach in elective coronary angiography?**
AYKAN A. C. , GOKDENİZ T., GUL I., KALAYCIOĞLU E., Cetin M., HATEM E., KARABAY C. Y. , GULER A., Aykan D. A. , YILDIZ M.

Annual Meeting of the European-Society-of-Cardiology (ESC), Barcelona, Spain, 30 August - 03 September 2014, vol.35, pp.860

- XVIII. **Predictive value of elevated D-dimer in patients undergoing primary angioplasty for ST elevation myocardial infarction**
AKGUL O., Uyarel H., PUSUROGLU H., GUL M., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., BAYCAN O.
Annual Meeting of the European-Society-of-Cardiology (ESC), Barcelona, Spain, 30 August - 03 September 2014, vol.35, pp.305
- XIX. **Plasma Catestatin Concentration is Independently Correlated with High-Density Lipoprotein Cholesterol Levels in Untreated Hypertensive Patients**
Durakoglugil M. E. , AYAZ T., KOCAMAN S. A. , KIRBAS A., DURAKOGLUGIL T., Erdoğan T., Çetin M., Sahin O. Z. , CICEK Y.
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Turkey, 26 - 29 October 2013, vol.62
- XX. **Androgenic Alopecia is Associated with Increased Arterial Stiffness in Asymptomatic Young Adults**
AGAC M. T. , KORKMAZ L., Cetin M., TURAN T., AKYÜZ A. R. , ERKAN H., Vatan B., Akdemir R., CELIK S.
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Turkey, 26 - 29 October 2013, vol.62
- XXI. **A Simple Index to Predict Adverse Clinical Outcome Associated with Acute Myocardial Infarction in Primary PCI Era**
AGAC M. T. , Agac S., KORKMAZ L., TURAN T., BEKTAŞ H., AKYÜZ A. R. , Cetin M., ERKAN H., Vatan B., CELIK S.
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Turkey, 26 - 29 October 2013, vol.62
- XXII. **Predictive value of elevated cystatin C in patients undergoing primary angioplasty for ST elevation myocardial infarction**
AKGÜL Ö., UYAREL H., PÜŞÜROĞLU H., GÜL M., ÇETİN M.
EUROPEAN HEART JOURNAL, Amsterdam, Netherlands, 31 August - 04 September 2013
- XXIII. **Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study.**
DURAKOĞLUGİL M. E. , KOCAMAN S. A. , ÇETİN M., KIRBAŞ A., ÇANGA A., ERDOĞAN T., ÇİÇEK Y.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.25
- XXIV. **Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia.**
ÇİÇEK Y., DURAKOĞLUGİL M. E. , ERDOĞAN T., YILMAZ A., UYDU H. A. , ÇETİN M., ŞATIROĞLU Ö., TEMİZ A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.27
- XXV. **Increased pulse wave velocity and carotid intima-media thickness in patients with carpal tunnel syndrome**
DURAKOĞLUGİL M. E. , ÇİÇEK Y., KOCAMAN S. A. , BALIK M. S. , KIRBAŞ S., ÇETİN M., ERDOĞAN T., ÇANGA A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.122
- XXVI. **Increased pulse wave velocity in patients with panic disorder: independent vascular influence of panic disorder on arterial stiffness.**
ÇİÇEK Y., DURAKOĞLUGİL M. E. , KOCAMAN S. A. , GÜVELİ H., ÇETİN M., ERDOĞAN T., ÇANGA A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.123
- XXVII. **PREDICTIVE VALUE OF ELEVATED URIC ACID IN PATIENTS UNDERGOING PRIMARY ANGIOPLASTY FOR STEMI**
AKGUL O., UYAREL H., PUSUROGLU H., TUREN S., SURGIT O., GUL M., ERTURK M., BULUT U., BAYCAN O. F. , Cetin M., et al.
62nd Annual Scientific Session of the American-College-of-Cardiology, San-Francisco, Costa Rica, 9 - 11 March 2013, vol.61

- XXVIII. **The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention**
KOCAMAN S. A. , CETIN M., KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E. , ŞATIROĞLU Ö., Sahinarslan A., ÇİÇEK Y., BOSTAN M.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.400
- XXIX. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**
ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E. , Cetin M., TEMİZ A., UGURLU Y., CANGA A.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.898
- XXX. **Fragmented QRS predicts postoperative atrial fibrillation (AF) in patients undergoing isolated coronary artery bypass graft surgery with no history of AF**
KOCAMAN S. A. , CETIN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E. , BOZOK S., CANGA A., TEMİZ A., ŞATIROĞLU Ö.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.374
- XXXI. **Relationship between increased epicardial adipose tissue and ascending aortic dilatation**
KOCAMAN S. A. , CANGA A., CETIN M., ERDOĞAN T., DURAKOĞLUGİL M. E. , CICEK M. E. , UGURLU Y., ŞATIROĞLU Ö.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.79
- XXXII. **Increased YKL-40 levels in patients with isolated coronary artery ectasia**
ERDOGAN T., KOCAMAN S. A. , CETIN M., KIRBAS A., DURAKOĞLUGİL M. E. , CANGA A., YILMAZ A., CICEK Y., DOGAN S., BOSTAN M.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.786
- XXXIII. **The number of fragmented QRS predicts the low percent of ST segment resolution in patients with STEMI**
CETIN M., KOCAMAN S. A. , KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E. , ÇİÇEK Y., DOGAN S., ŞATIROĞLU Ö.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.146
- XXXIV. **Relationship between leukocyte and subtype counts, low-grade inflammation and slow coronary flow phenomenon in patients with angiographically normal coronary arteries**
KOCAMAN S. A. , CANGA A., CETIN M., DURAKOĞLUGİL M. E. , ERDOĞAN T., ÇİÇEK Y., BOSTAN M.
Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.26
- XXXV. **Red blood cell distribution width (RDW) and its association with coronary atherosclerotic burden in patients with stable angina pectoris.**
ÇETİN M., KOCAMAN S. A. , ÇANGA A., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRIŞ T., TEMİZ A., et al.
27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011
- XXXVI. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**
ÇETİN M., KOCAMAN S. A. , ÇİÇEK Y., ÇANGA A., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRIŞ T., TEMİZ A., et al.
27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011
- XXXVII. **Increased plasminogen activator inhibitor I level in patients with isolated coronary artery ectasia**
ÇETİN M., ÇİÇEK Y., ERDOĞAN T., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.128
- XXXVIII. **Relationship of fragmented QRS (fQRS) complex with worse prognostic markers and in-hospital major adverse cardiovascular events (MACE) in patients undergoing coronary artery bypass graft (CABG) surgery**
ÇETİN M., ERDOĞAN T., DURAKOĞLUGİL M. E. , ÇİÇEK Y.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 October - 30 November 2011, pp.87
- XXXIX. **Relationship between leukocyte and subtype counts and slow coronary flow phenomenon.**
ÇANGA A., KOCAMAN S. A. , KESKİN G., ÇETİN M., ÇİÇEK Y., BOSTAN M.

27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.1

- XL. **Increased serum bilirubin level is related to good collateral development in patients with chronic total coronary occlusion**
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.224
- XLI. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total**
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.327
- XLII. **Fragmented QRS and its association with the poor prognostic factors in acute coronary syndromes**
ÇETİN M., KOCAMAN S. A. , TEMİZ A., ŞATIROĞLU Ö., ERDOĞAN T., ÇANGA A., AKGÜL Ö., BOSTAN M., KIRIŞ T., ÇİÇEK Y., et al.
27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011
- XLIII. **Relationship of fragmented QRS complex with inadequate coronary collaterals in patients with Chronic total occlusion**
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.223
- XLIV. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.139
- XLV. **Comparison of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease**
BOSTAN M., UYDU H. A. , YILMAZ A., DEMİR A., ATAK M., ŞATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.
27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011
- XLVI. **Relationship of fragmented QRS complex with inadequate coronary collaterals in patients with Chronic total occlusion**
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.223
- XLVII. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total occlusion of unprotected left main coronary artery without supportive collateral flow.**
ÇETİN M., KOCAMAN S. A. , BOSTAN M., ERDOĞAN T., ŞATIROĞLU Ö.
27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011
- XLVIII. **Fragmented QRS (fQRS) in ST elevated myocardial infarction (STEMI) and its association with the infarct and myocardial perfusion parameters in patients undergoing primary percutaneous intervention**
KOCAMAN S. A. , ÇETİN M., KIRIŞ T., ERDOĞAN T., ÇANGA A., ŞAHİNARSLAN A., ŞATIROĞLU Ö., TEMİZ A., BOSTAN M., ÇİÇEK Y.
27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011
- XLIX. **Increased plasminogen activator inhibitor I level in patients with isolated coronary artery ectasia**
ÇETİN M., ÇİÇEK Y., ERDOĞAN T., DURAKOĞLUGİL M. E.
27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.128
- L. **Dev Ruptüre olmamış Gerçek Sakkuler Çıkan Aort Anevrizması**
ÇETİN M., ŞATIROĞLU Ö., KOCAMAN S. A. , ÇİÇEK Y., BOSTAN M.
26. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 21 October 2010 - 26 October 2011
- LI. **kut ST yu"kselmeli miyokard enfarktu"su" nedeniyle primer koroner giris,im sonrası metabolik sendromun no-reflow u"zerine etkisi.**
Tartan Z., Uyarel H., Kas,ıkc,ıog"lu H., ÇETİN M.

Scientific Refereeing

PACE-PACING AND CLINICAL ELECTROPHYSIOLOGY, SCI Journal, December 2020

TURKISH JOURNAL OF MEDICAL SCIENCES, Journal Indexed in SCI-E, August 2020

TUBITAK Project, 1001 - Program for Supporting Scientific and Technological Research Projects, NOBEL ILAC, Turkey, January 2014

Citations

Total Citations (WOS):727

h-index (WOS):14

Non Academic Experience

Other Public Institution, Trabzon Ahi Evren Göğüs Kalp Damar Cerrahisi Merkezi, Kardiyoloji

Other Public Institution, Rize Eğitim Araştırma Hastanesi, Dahili Tıp Bilimleri

Other Public Institution, Elazığ Askeri Hastanesi