

Prof. TURAN ERDOĞAN

Personal Information

Email: turan.erdogan@erdogan.edu.tr

Web: <https://avesis.erdogan.edu.tr/turan.erdogan>

Address: Boğaz Mah. Yağmur Sok. Merve Apt. No: 10/44

Foreign Languages

English, B2 Upper Intermediate

Research Areas

Medicine, Health Sciences, Internal Medicine Sciences, Cardiovascular

Academic Titles / Tasks

Associate Professor, Recep Tayyip Erdogan University, Tip Fakültesi, Kardiyoloji, 2013 - Continues

Published journal articles indexed by SCI, SSCI, and AHCI

- I. **BLOOD UREA NITROGEN IS ASSOCIATED WITH LONG-TERM ALL-CAUSE MORTALITY IN STABLE ANGINA PECTORIS PATIENTS: 8-YEAR FOLLOW-UP RESULTS**
ÇETİN M., ERDOĞAN T., Ozyıldız A. G., Ozer S., Ayhan A. C., Kiris T.
KARDIOLOGIYA, vol.61, no.3, pp.66-70, 2021 (SCI-Expanded)
- II. **Mitral annular calcification predicted major cardiovascular events in patients presented with acute coronary syndrome and underwent percutaneous coronary intervention**
Cetin M., DUMAN H., OZER S., KIRIS T., ÇİNİER G., Usta E., SATILMIS S., ERDOĞAN T.
ACTA CARDIOLOGICA, vol.75, no.8, pp.767-773, 2020 (SCI-Expanded)
- III. **Predictive value of fibrinogen-to-albumin ratio in acute coronary syndrome Prädiktiver Wert des Fibrinogen-Albumin-Quotienten beim akuten Koronarsyndrom**
ÇETİN M., ERDOĞAN T., Kiriş T., OZER S., YILMAZ A., DURAK H., Aykan A., SATIROGLU Ö.
Herz, vol.45, pp.145-151, 2020 (SCI-Expanded)
- IV. **An echocardiographic predictor of contrast-induced nephropathy following percutaneous coronary intervention in acute coronary syndrome: aortic valve sclerosis**
Durak H., ERDOĞAN T., CETIN M., KOCAMAN S. A., DURAKOGLUGİL M. E., DUMAN H., ERGUL E., SATIROGLU O.
SCANDINAVIAN CARDIOVASCULAR JOURNAL, vol.54, no.4, pp.227-231, 2020 (SCI-Expanded)
- V. **Elevated serum YKL40 level is a predictor of MACE during the long-term follow up in hypertensive patients**
ÇETİN M., ERDOĞAN T., KIRIS T., OEZER S., CINIER G., EMLEK N., DURAK H., Satiroglu Ö.
CLINICAL AND EXPERIMENTAL HYPERTENSION, vol.42, no.3, pp.271-274, 2020 (SCI-Expanded)
- VI. **Endothelial dysfunction predicted increased left atrial volume index in newly diagnosed nondiabetic hypertensive patients.**
Çetin M., Erdoğan T., KİRİŞ T., AYKAN A., ÇİNİER G., Emlek N., Durak H., KALAYCIOĞLU E., Yilmaz A. S.

- Blood pressure monitoring, vol.25, pp.75-81, 2020 (SCI-Expanded)
- VII. **The role of serum interleukin-37 levels, inflammation and blood pressure in patients with preeclampsia**
Satiroglu O., Gürlek B., Durakoglugil M. E., Duman H., Erdogan T., Çetin M., Ergül M., Yilmaz A., Uydu H. A.
CLINICAL AND EXPERIMENTAL HYPERTENSION, vol.42, no.7, pp.669-674, 2020 (SCI-Expanded)
- VIII. **Endothelial dysfunction, subclinical atherosclerosis and LDL cholesterol are the independent predictors of left atrial functions in hypertension**
Cetin M., ERDOGAN T., KIRIS T., OZYILDIZ A. G., ERGUL E., DURAKOGLUGIL E., Durak H., KALAYCIÖĞLU E., CICEK Y.
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, vol.36, no.1, pp.69-77, 2020 (SCI-Expanded)
- IX. **The role of serum bilirubin levels in determining venous thromboembolism.**
DUMAN H., OZYURT S., Erdogan T., KARA B., Durakoglugil M. E.
Journal of vascular surgery. Venous and lymphatic disorders, vol.7, no.5, pp.635-639, 2019 (SCI-Expanded)
- X. **Epicardial Adipose Tissue Predicts Carotid Intima-Media Thickness Independently of Body Mass Index and Waist Circumference**
Erdoğan T., Durakoglugil M. E., Çetin M., KOCAMAN S. A., DUMAN H., CICEK Y., SATIROGLU O.
ACTA CARDIOLOGICA SINICA, vol.35, no.1, pp.32-41, 2019 (SCI-Expanded)
- XI. **The effect of bilirubin on long-term mortality in patients with chronic total coronary occlusion**
CETIN M., Durakoglugil M. E., ERDOGAN T., OZER S., TURAN O. E., YILMAZ A. S., AKDOGAN E.
BRATISLAVA MEDICAL JOURNAL-BRATISLAVSKÉ LEKARSKE LISTY, vol.120, no.11, pp.860-863, 2019 (SCI-Expanded)
- XII. **The effect of epicardial adipose tissue thickness with irritable bowel syndrome**
CICEK Y., Durakoglugil M. E., DUMAN H., Erdogan T., RAKICI H., Balcioglu A. S.
JOURNAL OF THE PAKISTAN MEDICAL ASSOCIATION, vol.68, no.10, pp.1456-1460, 2018 (SCI-Expanded)
- XIII. **The Relationship between Serum Apelin Levels and the Severity of Calcific Aortic Stenosis**
DUMAN H., BAHCECI I., HAMUR H., DEMIRELLI S., DILEK A. R., Erdogan T., DUMAN H., SATIROGLU O., Durakoglugil M. E.
ACTA CARDIOLOGICA SINICA, vol.34, no.3, pp.259-266, 2018 (SCI-Expanded)
- XIV. **An increase in epicardial adipose tissue is strongly associated with carotid intima-media thickness and atherosclerotic plaque, but LDL only with the plaque**
KOCAMAN S. A., BAYSAN O., Çetin M., ALTUNER T. K., OCAKLI E. P., DURAKOĞLUGİL M. E., Erdogan T., KARAOGUZ M. R.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.17, no.1, pp.56-63, 2017 (SCI-Expanded)
- XV. **Relationship of osteoprotegerin to pulse wave velocity and carotid intima-media thickness in rheumatoid arthritis patients**
Beyazal M., Erdogan T., DEVRIMSEL G., TURKYILMAZ A. K., CURE M. C., Beyazal M., SAHIN I.
ZEITSCHRIFT FÜR RHEUMATOLOGIE, vol.75, no.7, pp.723-728, 2016 (SCI-Expanded)
- XVI. **Relationship of serum osteoprotegerin with arterial stiffness, preclinical atherosclerosis, and disease activity in patients with ankylosing spondylitis**
Beyazal M., ERDOGAN T., TURKYILMAZ A. K., DEVRIMSEL G., CURE M. C., BEYAZAL M., SAHIN I.
CLINICAL RHEUMATOLOGY, vol.35, no.9, pp.2235-2241, 2016 (SCI-Expanded)
- XVII. **Relationship of osteoprotegerin to pulse wave velocity and carotid intima-media thickness in rheumatoid arthritis patients**
SERDAROĞLU BEYAZAL M., ERDOĞAN T., DEVRİMSEL G., KÜÇÜKALI TÜRKYILMAZ A., CUMHUR CÜRE M., BEYAZAL M., ŞAHİN İ.
ZEITSCHRIFT FÜR RHEUMATOLOGIE, vol.3, pp.1-6, 2015 (SCI-Expanded)
- XVIII. **The relationship of plasma catestatin concentrations with metabolic and vascular parameters in untreated hypertensive patients: Influence on high-density lipoprotein cholesterol**
Durakoglugil M. E., AYAZ T., KOCAMAN S. A., KIRBAS A., DURAKOGLUGIL T., ERDOGAN T., Cetin M., Sahin O. Z., CICEK Y.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.15, no.7, pp.577-585, 2015 (SCI-Expanded)
- XIX. **Relationship of fragmented QRS with prognostic markers and long-term major adverse cardiac**

- events in patients undergoing coronary artery bypass graft surgery**
Cicek Y., KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., CANGA A., Bozok S., DOGAN S., ERDOĞAN T.
JOURNAL OF CARDIOVASCULAR MEDICINE, vol.16, no.2, pp.112-117, 2015 (SCI-Expanded)
- XX. Bilirubin Level is Associated with Left Ventricular Hypertrophy Independent of Blood Pressure in Previously Untreated Hypertensive Patients**
AYAZ T., Durakoglugil M. E., KOCAMAN S. A., DURAKOĞLUGİL T., Erdogan T., Sahin O. Z., SAHIN S. B., CICEK Y., SATIROĞLU Ö.
KOREAN CIRCULATION JOURNAL, vol.44, no.5, pp.336-343, 2014 (SCI-Expanded)
- XXI. YKL-40 as new cardiac biomarker Reply**
KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ERDOĞAN T.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.14, no.1, pp.99, 2014 (SCI-Expanded)
- XXII. Arterial Stiffness Measured Via Carotid Femoral Pulse Wave Velocity Is Associated With Disease Severity in COPD**
Cinarka H., KAYHAN S., Gumus A., Durakoglugil M. E., Erdogan T., EZBERCI I., YAVUZ A., OZKAYA S., Sahin U.
RESPIRATORY CARE, vol.59, no.2, pp.274-280, 2014 (SCI-Expanded)
- XXIII. YKL-40 levels in patients with coronary artery ectasia Reply**
KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.14, no.1, pp.98, 2014 (SCI-Expanded)
- XXIV. Aortic valve sclerosis is a high predictive marker of systemic endothelial dysfunction in hypertensive patients**
Erdoğan T., Çetin M., KOCAMAN S. A., Durakoglugil M. E., ERGUL E., CANGA A.
HERZ, vol.38, no.8, pp.915-921, 2013 (SCI-Expanded)
- XXV. Increased serum resistin levels in patients with coronary slow-flow phenomenon**
CANGA A., CETIN M., KOCAMAN S. A., DURAKOĞLUGİL M. E., Krbaş A., Erdogan T., TEMIZ A., YILMAZ A., Çiçek Y.
HERZ, vol.38, no.7, pp.773-778, 2013 (SCI-Expanded)
- XXVI. Relationship between fragmented QRS complexes and left ventricular systolic and diastolic functions**
CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Çetin M., Erdogan T., KIRIS T., ERDEN M.
HERZ, vol.38, no.6, pp.665-670, 2013 (SCI-Expanded)
- XXVII. The risk of developing AF after cardiac surgery Reply**
Cetin M., KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOGAN S., SATIROĞLU Ö.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.5, pp.502, 2013 (SCI-Expanded)
- XXVIII. Increased YKL-40 levels in patients with isolated coronary artery ectasia: an observational study**
ERDOĞAN T., KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., Kirbas A., CANGA A., YILMAZ A., DOGAN S., ÇİÇEK Y.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.5, pp.465-470, 2013 (SCI-Expanded)
- XXIX. Increased Carotid and Brachial Intima-Media Thickness is Related to Diffuse Coronary Involvement Rather Than Focal Lesions**
CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ÇİÇEK Y., SATIROĞLU Ö.
ANGIOLOGY, vol.64, no.5, pp.356-363, 2013 (SCI-Expanded)
- XXX. Increased pulse wave velocity and carotid intimamedia thickness in patients with carpal tunnel syndrome**
DURAKOĞLUGİL M. E., ÇİÇEK Y., KOCAMAN S. A., BALIK M. S., Kirbas S., Cetin M., ERDOĞAN T., CANGA A.
MUSCLE & NERVE, vol.47, no.6, pp.872-877, 2013 (SCI-Expanded)
- XXXI. Epicardial adipose tissue is independently associated with increased left ventricular mass in untreated hypertensive patients: an observational study**
ERDOĞAN T., Cetin M., Kocaman S. A., DURAKOĞLUGİL M. E., ERGUL E., UGURLU Y., CANGA A.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.4, pp.320-327, 2013

- (SCI-Expanded)
- XXXII. **Effect of epicardial adipose tissue on diastolic functions and left atrial dimension in untreated hypertensive patients with normal systolic function**
Cetin M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ERDOĞAN T., ERGUL E., DOĞAN S., CANGA A.
JOURNAL OF CARDIOLOGY, vol.61, pp.359-364, 2013 (SCI-Expanded)
- XXXIII. **The independent relationship of epicardial adipose tissue with carotid intima-media thickness and endothelial functions: the association of pulse wave velocity with the active facilitated arterial conduction concept**
KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ERGUL E., CANGA A.
BLOOD PRESSURE MONITORING, vol.18, no.2, pp.85-93, 2013 (SCI-Expanded)
- XXXIV. **ELEVATED SERUM OSTEOPROTEGERIN LEVELS PREDICT IN-HOSPITAL MACE IN PATIENTS WITH STEMI**
CANGA A., Durakoglugil M. E., Erdogan T., Kirbas A., Yilmaz A., Cicek Y., ERGUL E., CETIN M., KOCAMAN S. A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (SCI-Expanded)
- XXXV. **INCREASED PLASMINOGEN ACTIVATOR INHIBITOR-1 LEVELS IN PATIENTS WITH ISOLATED CORONARY ARTERY ECTASIA**
Cicek Y., Durakoglugil M. E., Erdogan T., CETIN M., Yilmaz A., Uydu H. A., SAGLAM H., KOCAMAN S. A., CANGA A., Satiroglu O., et al.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (SCI-Expanded)
- XXXVI. **INCREASED CIRCULATING SOLUBLE CD40 LEVELS IN PATIENTS WITH SLOW CORONARY FLOW PHENOMENON**
Durakoglugil M. E., KOCAMAN S. A., CETIN M., Kirbas A., CANGA A., Erdogan T., Cicek Y.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (SCI-Expanded)
- XXXVII. **Elevated serum YKL-40 level predicts myocardial reperfusion and in-hospital MACE in patients with STEMI**
CETIN M., KOCAMAN S. A., CANGA A., KIRBAS A., YILMAZ A., Erdogan T., AKGUL Ö., UGURLU Y., DURAKOĞLUGİL M. E.
HERZ, vol.38, no.2, pp.202-209, 2013 (SCI-Expanded)
- XXXVIII. **A rare complication: Undeflatable balloon of the stent**
Bostan M., ŞATIROĞLU Ö., ERDOĞAN T., DURAKOĞLUGİL M. E., UGURLU Y.
Interventional Medicine and Applied Science, vol.5, no.1, pp.43-45, 2013 (SCI-Expanded)
- XXXIX. **PREMATURE HAIR WHITENING IS AN INDEPENDENT PREDICTOR OF CAROTID INTIMA-MEDIA THICKNESS IN YOUNG AND MIDDLE-AGED MEN**
KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., Cetin M., UGURLU Y., SAHİN I., CANGA A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (SCI-Expanded)
- XL. **EPICARDIAL ADIPOSE TISSUE IS INDEPENDENTLY ASSOCIATED WITH INCREASED LEFT VENTRICULAR MASS IN UNTREATED HYPERTENSIVE PATIENTS: AN OBSERVATIONAL STUDY**
ERDOĞAN T., DURAKOĞLUGİL M. E., Cetin M., KOCAMAN S. A., ERGUL E., UGURLU Y., CANGA A.
INTERNATIONAL JOURNAL OF CARDIOLOGY, vol.163, 2013 (SCI-Expanded)
- XLI. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., Cetin M., ERDOĞAN T., DOĞAN S., UGURLU Y., CANGA A.
BLOOD PRESSURE, vol.22, no.1, pp.34-38, 2013 (SCI-Expanded)
- XLII. **Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study**
Durakoglugil M. E., KOCAMAN S. A., Cetin M., Kirbas A., CANGA A., Erdogan T., Cicek Y.
ANADOLU KARDİYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.13, no.1, pp.39-44, 2013 (SCI-Expanded)
- XLIII. **Premature Hair Whitening is an Independent Predictor of Carotid Intima-media Thickness in Young and Middle-aged Men**
Erdogan T., KOCAMAN S. A., Cetin M., Durakoglugil M. E., UGURLU Y., SAHİN I., CANGA A.

- INTERNAL MEDICINE, vol.52, no.1, pp.29-36, 2013 (SCI-Expanded)
- XLIV. Comparision of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease.**
UYDU H. A., BOSTAN M., YILMAZ A., DEMİR A., ATAK M., SATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.
European review for medical and pharmacological sciences, vol.17, no.1, pp.112-8, 2013 (SCI-Expanded)
- XLV. Relationship between Leukocyte and Subtype Counts, Low-Grade Inflammation and Slow Coronary Flow Phenomenon in Patients with Angiographically Normal Coronary Arteries**
Canga A., Kocaman S. A., Cetin M., Cetin M., Durakoglugil E., ERDOĞAN T., ÇİÇEK Y.
ACTA CARDIOLOGICA SINICA, vol.28, no.4, pp.306-314, 2012 (SCI-Expanded)
- XLVI. Independent determinants of ascending aortic dilatation in hypertensive patients: smoking, endothelial dysfunction, and increased epicardial adipose tissue**
Cetin M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ERDOĞAN T., UGURLU Y., DOGAN S., CANGA A.
BLOOD PRESSURE MONITORING, vol.17, no.6, pp.223-230, 2012 (SCI-Expanded)
- XLVII. Elevated serum osteoprotegerin levels predict in-hospital major adverse cardiac events in patients with ST elevation myocardial infarction**
CANGA A., DURAKOĞLUGİL M. E., ERDOĞAN T., Kirbas A., YILMAZ A., ÇİÇEK Y., ERGUL E., Cetin M., KOCAMAN S. A.
JOURNAL OF CARDIOLOGY, vol.60, pp.355-360, 2012 (SCI-Expanded)
- XLVIII. Fragmented QRS may predict postoperative atrial fibrillation in patients undergoing isolated coronary artery bypass graft surgery**
Cetin M., KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOGAN S., SATIROĞLU Ö.
ANADOLU KARDIYOLOJI DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, vol.12, no.7, pp.576-583, 2012 (SCI-Expanded)
- XLIX. Absence and Resolution of Fragmented QRS Predict Reversible Myocardial Ischemia With Higher Probability of ST Segment Resolution in Patients With ST Segment Elevation Myocardial Infarction**
Çetin M., KOCAMAN S. A., KIRIS T., Erdoğan T., CANGA A., DURAKOĞLUGİL M. E., CICEK Y., DOGAN S., SATIROGLU Ö.
KOREAN CIRCULATION JOURNAL, vol.42, no.10, pp.674-683, 2012 (SCI-Expanded)
- L. Increased epicardial adipose tissue in patients with slow coronary flow phenomenon**
ERDOĞAN T., CANGA A., KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ÇİÇEK Y., UGURLU Y., Bozok S.
KARDIOLOGIA POLSKA, vol.70, no.9, pp.903-909, 2012 (SCI-Expanded)
- LI. The degree of premature hair graying as an independent risk marker for coronary artery disease: a predictor of biological age rather than chronological age**
KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ERDOĞAN T., CANGA A., ÇİÇEK Y., DOGAN S., SAHIN I., SATIROĞLU Ö., Bostan M.
ANATOLIAN JOURNAL OF CARDIOLOGY, vol.12, no.6, pp.457-463, 2012 (SCI-Expanded)
- LI. Relationship of fragmented QRS complexes with inadequate coronary collaterals in patients with chronic total occlusion**
ERDOĞAN T., KOCAMAN S. A., Cetin M., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., TEMİZ A., Karadag Z., UGURLU Y., SATIROĞLU Ö., et al.
JOURNAL OF CARDIOVASCULAR MEDICINE, vol.13, no.8, pp.499-504, 2012 (SCI-Expanded)
- LIII. Increased pulse wave velocity in patients with panic disorder: Independent vascular influence of panic disorder on arterial stiffness**
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., GUVELİ H., Cetin M., ERDOĞAN T., SAHIN I., DOGAN S., CANGA A.
JOURNAL OF PSYCHOSOMATIC RESEARCH, vol.73, no.2, pp.145-148, 2012 (SCI-Expanded)
- LIV. The independent relationship between systemic inflammation and fragmented QRS complexes in patients with stable angina pectoris**
Cetin M., KOCAMAN S. A., CANGA A., DURAKOĞLUGİL M. E., ERDOĞAN T., SATIROĞLU Ö., KIRIS T., UGURLU Y., ÇİÇEK Y., Bostan M.
KARDIOLOGIA POLSKA, vol.70, no.7, pp.668-676, 2012 (SCI-Expanded)
- LV. Relationship of the angiographic extent of peripheral arterial disease with coronary artery**

involvement

ŞATIROĞLU Ö., KOCAMAN S. A., Karadag Z., TEMİZ A., Cetin M., CANGA A., ERDOĞAN T., Bostan M., ÇİÇEK Y., Durakoglugil E., et al.

JOURNAL OF THE PAKISTAN MEDICAL ASSOCIATION, vol.62, no.7, pp.644-649, 2012 (SCI-Expanded)

- LVI. **The Independent Relationship of Systemic Inflammation With Fragmented QRS Complexes in Patients With Acute Coronary Syndromes**

Cetin M., KOCAMAN S. A., Erdogan T., CANGA A., DURAKOĞLUGİL M. E., SATIROĞLU Ö., AKGUL O., KIRIS T., CICEK Y., YAYLAK B., et al.

KOREAN CIRCULATION JOURNAL, vol.42, no.7, pp.449-457, 2012 (SCI-Expanded)

- LVII. **Relationship of fragmented QRS with prognostic markers and in-hospital MACE in patients undergoing CABG**

ERDOĞAN T., Cetin M., KOCAMAN S. A., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., ŞATIROĞLU Ö., Bostan M.

SCANDINAVIAN CARDIOVASCULAR JOURNAL, vol.46, no.2, pp.107-113, 2012 (SCI-Expanded)

- LVIII. **Increased Epicardial Adipose Tissue Thickness Is Correlated with Ascending Aortic Diameter**
CANGA A., KOCAMAN S. A., Cetin M., Erdogan T., Durakoglugil M. E., Cicek Y., UGURLU Y., Satiroglu O.
TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE, vol.226, no.3, pp.183-190, 2012 (SCI-Expanded)

- LIX. **Increased Serum Bilirubin Level is Related to Good Collateral Development in Patients with Chronic Total Coronary Occlusion**

Erdogan T., Cicek Y., KOCAMAN S. A., CANGA A., Cetin M., Durakoglugil E., Satiroglu O., TEMİZ A., ERGUL E., SAHIN I., et al.

INTERNAL MEDICINE, vol.51, no.3, pp.249-255, 2012 (SCI-Expanded)

- LX. **Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia**
ÇİÇEK Y., DURAKOĞLUGİL M. E., ERDOĞAN T., YILMAZ A., UYDU H. A., SAGLAM H., Cetin M., ŞATIROĞLU Ö., Bostan M., CANGA A., et al.

JOURNAL OF THROMBOSIS AND THROMBOLYSIS, vol.33, no.1, pp.120-123, 2012 (SCI-Expanded)

- LXI. **Increased Epicardial Adipose Tissue in Patients with Isolated Coronary Artery Ectasia**
Cetin M., ERDOĞAN T., KOCAMAN S. A., CANGA A., ÇİÇEK Y., DURAKOĞLUGİL M. E., ŞATIROĞLU Ö., AKGUL O., Bostan M.

INTERNAL MEDICINE, vol.51, no.8, pp.833-838, 2012 (SCI-Expanded)

- LXII. **Carotid and brachial artery intima-media thickness is related to coronary atherosclerotic burden and may also represent high cardiovascular risk in patients with normal coronary angiograms**
Satiroglu O., KOCAMAN S. A., BAYAR N., ERDOĞAN T., CICEK Y., TASCI F., BOZKURT E.
JOURNAL OF MEDICAL ULTRASONICS, vol.38, no.4, pp.187-194, 2011 (SCI-Expanded)

- LXIII. **Impairment in Flow-Mediated Vasodilatation of the Brachial Artery in Acromegaly**

Baykan M., Erem C., Gedikli O., Hacihasanoglu A., Erdogan T., KOÇAK M., Kaplan S., Korkmaz L., Celik S.
MEDICAL PRINCIPLES AND PRACTICE, vol.18, no.3, pp.228-232, 2009 (SCI-Expanded)

- LXIV. **Assessment of the Tei index by tissue Doppler imaging in patients with acromegaly: Serum growth hormone level is associated with the Tei index**

Baykan M., Erem C., Gedikli O., Hacihasanoglu A., Erdogan T., KOÇAK M., Kaplan S., Klris A., Celik S.
ECHOCARDIOGRAPHY-A JOURNAL OF CARDIOVASCULAR ULTRASOUND AND ALLIED TECHNIQUES, vol.25, no.4, pp.374-380, 2008 (SCI-Expanded)

- LXV. **Assessment of left ventricular diastolic function and Tei index by tissue Doppler imaging in patients with Cushing's Syndrome**

Baykan M., Erem C., Gedikli O., Hacihasanoglu A., Erdogan T., KOÇAK M., Kaplan S., Kiris A., ÖREM C., Celik S.
ECHOCARDIOGRAPHY-A JOURNAL OF CARDIOVASCULAR ULTRASOUND AND ALLIED TECHNIQUES, vol.25, no.2, pp.182-190, 2008 (SCI-Expanded)

- LXVI. **Relationship between aortic stiffness and the development of coronary collateral in patients with coronary artery disease**

Celik S., Kaplan S., Yilmaz R., Erdogan T., Kiris A.

ANGIOLOGY, vol.58, no.6, pp.671-676, 2007 (SCI-Expanded)

- LXVII. **Diagonal ear-lobe crease is associated with carotid intima-media thickness in subjects free of clinical cardiovascular disease**
 CELIK S., Erdogan T., GEDIKLI O., KIRIS A., EREM C.
ATHEROSCLEROSIS, vol.192, no.2, pp.428-431, 2007 (SCI-Expanded)
- LXVIII. **Impairment of flow mediated vasodilatation of brachial artery in patients with primary hyperparathyroidism**
 BAYKAN M., EREM C., Erdogan T., HACIHASANOGLU A., GEDIKLI O., KIRIS A., KUECUEKOSMANOGLU M., ERSOEZ H. O., Celik S.
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, vol.23, no.3, pp.323-328, 2007 (SCI-Expanded)
- LXIX. **Impairment of flow-mediated vasodilatation of brachial artery in patients with Cushing's Syndrome**
 BAYKAN M., EREM C., GEDIKLI O., HACIHASANOGLU A., Erdogan T., KOCAK M., DURMUS I., KORKMAZ L., Celik S.
ENDOCRINE, vol.31, no.3, pp.300-304, 2007 (SCI-Expanded)
- LXX. **Assessment of left ventricular diastolic function and the Tei index by tissue Doppler imaging in patients with primary hyperparathyroidism**
 BAYKAN M., EREM C., Erdogan T., ERSOEZ H. O., GEDIKLI O., KORKMAZ L., KUECUEKOSMANOGLU M., HACLHASANOGLU A., KAPLAN S., Celik S.
CLINICAL ENDOCRINOLOGY, vol.66, no.4, pp.483-488, 2007 (SCI-Expanded)
- LXXI. **Carotid intima-media thickness in patients with isolated coronary artery ectasia**
 CELIK S., Erdogan T., KASAP H., KAPLAN S., DURMUS I., GEDIK O., KIRIS A.
ATHEROSCLEROSIS, vol.190, no.2, pp.385-387, 2007 (SCI-Expanded)
- LXXII. **The relationship between flow-mediated olatation and left ventricular function in type 2 diabetic patients with microalbuminuria**
 BAYKAN M., Erdogan T., EREM C., HACIHASANOGLU A., GEDIKLI O., KUCUKOSMANOGLU M., CELIK S., OREM C.
ENDOCRINE, vol.30, no.2, pp.197-202, 2006 (SCI-Expanded)

Articles Published in Other Journals

- I. **A New Scoring System Detecting the Supraventricular Tachycardia Inducibility and Radiofrequency Ablation With High Specificity in Electrophysiological Study**
 Ozer S., ÇETİN M., Ozyildiz A. G., Gengoru R., TURAN O. E., Pusuroglu M., BAHÇECİ B., Erdogan T.
JOURNAL OF THE SAUDI HEART ASSOCIATION, vol.32, no.2, pp.134-140, 2020 (ESCI)
- II. **Is Premature Hair Whitening a Predictor of Hypertension for Healthy Young and Middle-Aged Men?**
 ÖZYILDIZ A. G., ÇETİN M., ÖZER S., TURAN O. E., DURAK H., ERDOGAN T.
Sakarya Tip Dergisi, vol.10, no.2, pp.277-284, 2020 (Peer-Reviewed Journal)
- III. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery**
 Erdogan T., ÇETİN M., Cinier G., Ozer S., Yilmaz A. S., Karakisi O., Koros T.
JOURNAL OF THE SAUDI HEART ASSOCIATION, vol.32, no.1, pp.79-85, 2020 (ESCI)
- IV. **Impact of Postdilation on Intervention Success and Long-Term Major Adverse Cardiovascular Events (MACE) among Patients with Acute Coronary Syndromes**
 ERDOĞAN T., Duman H., ÇETİN M., ÖZER S., ÇİNİER G., USTA E., USTA M., KİRİŞ T.
CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, vol.4, no.3, pp.185-193, 2020 (ESCI)
- V. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery: 10-year follow-up results**
 ERDOĞAN T., ÇETİN M., ÇİNİER G., ÖZER S., YILMAZ A. S., KARAKİŞİ S. O., KİRİŞ T.
Journal of the Saudi Heart Association, 2019 (Scopus)
- VI. **The Relationship Between Mean Platelet Volume and In-Hospital Mortality in Geriatric Patients with ST Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary**

Intervention

SATIROGLU O., Durakoglugil M. E., UYDU H. A., DUMAN H., Çetin M., CICEK Y., Erdogan T.

CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, vol.4, no.2, pp.135-141, 2019 (ESCI)

- VII. Hair whitening and obesity are independently related to ascending aorta dilatation in young-middle aged men

Çetin M., BOZBEYOGLU E., Erdogan T., KOCAMAN S. A., SATIROGLU O., Durakoglugil M. E.

NORTHERN CLINICS OF ISTANBUL, vol.6, no.1, pp.33-39, 2019 (ESCI)

- VIII. Elektrofizyoloji Laboratuvarında Supraventriküler Taşikardi Uyarılabilirliği İçin Tipik Semptomlar Dökümante EKG Varlığı Kadar Önemlidir

KOCAMAN s. a., CETIN M., Bodur O., DURAKOGLUGIL M. E., ERDOGAN T., SATIROĞLU Ö., ERDEM d., KARAOĞUZ r. Medicana Medical Journal, vol.2, no.2, pp.46-51, 2018 (Peer-Reviewed Journal)

- IX. Prolonged QRS duration on surface electrocardiogram is associated with left ventricular restrictive filling pattern

Erdogan T., Durakoglugil M. E., CICEK Y., Çetin M., DUMAN H., SATIROGLU O., Celik S.

INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, vol.9, no.1, pp.9-14, 2017 (ESCI)

- X. The role of urotensin II and atherosclerotic risk factors in patients with slow coronary flow

SATIROGLU O., Durakoglugil M. E., Çetin M., CICEK Y., Erdogan T., DUMAN H.

INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, vol.8, no.4, pp.158-163, 2016 (ESCI)

- XI. The relationship between epicardial adipose tissue and P wave and QT dispersions

Cicek Y., Dogan S., Durakoglugil M. E., Balcioglu A. S., Erdogan T., Satiroglu O., Karadag Z., Duman H., Bostan M.

TURK KARDİYOLOJİ DERNEĞİ ARSIVİ-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, vol.43, no.7, pp.621-629, 2015 (ESCI)

- XII. Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard İnfarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür

ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E., ÇİÇEK Y., Kocaman S. A., Canga A.

Duzce Medical Journal, vol.16, no.1, pp.29-34, 2014 (Peer-Reviewed Journal)

- XIII. ALANINE AMINOTRANSFERASE LEVELS AND MONOCYTE COUNTINDEPENDENTLY PREDICT 30 DAY OUTCOMES IN ST ELEVATIONMYOCARDIAL INFARCTION PATIENTS WITH SUCCESSFULLY RESTORED CORONARY TIMI 3 FLOW BY PRIMARY PERCUTANEOUSCORONARY INTERVENTION

ERDOĞAN T., ÇETİN M., sinan altan k., DURAKOĞLUGİL M. E., aytun ç., ÇİÇEK Y., akgül ö., gül m.

DUZCE MEDICAL JOURNAL, vol.16, no.1, pp.29-34, 2014 (Peer-Reviewed Journal)

- XIV. Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard Infarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür.

ERDOĞAN T., ÇETİN M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ÇANGA A., ÇİÇEK Y., AKGÜL Ö., GÜL M.

Düzce Üniversitesi Tip Fakültesi Dergisi, vol.1, no.1, pp.29-34, 2014 (Scopus)

- XV. Diagnostic Performance of 128-Slice Multi-Slice Computed Tomography for the Detection of Significant Coronary Artery Lesions

ÇİÇEK Y., CANGA A., DURAKOGLUGIL M. E., ÇETİN M., SATIROĞLU Ö., KOCAMAN S. A., ERDOĞAN T., BOZKURT S., ÖZATEŞ M.

SELÇUK TIP DERGİSİ, vol.29, no.3, pp.108-112, 2013 (Peer-Reviewed Journal)

- XVI. hrombin Activatable Fibrinolysis Inhibitor (TAFI) Activity In Patients with Isolated Coronary Artery Ectasia

ÇANGA A., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., DURAKOĞLUGİL M. E., ERDOĞAN T., TEMİZ A., ERGÜL E., ÇİÇEK Y. International Journal of Clinical Research, vol.1, no.1, pp.5-9, 2013 (Peer-Reviewed Journal)

- XVII. Stabil Koroner Arter Hastalığında Serum Monosit Kemoatraktan Protein 1 Seviyeleri

SATIROĞLU Ö., KOCAMAN S. A., KARADAĞ Z., UYDU H. A., DEMİR A., BOSTAN M., ATAK M., SAHİN İ., DOĞAN S., DURAKOĞLUGİL M. E., et al.

Medical Network Dergisi, vol.20, no.3, pp.120-124, 2013 (Peer-Reviewed Journal)

- XVIII. A Case with Myopericarditis Caused by H1N1 Virus Infection

- ÇANGA A., BOSTAN M., ÇETİN M., ERDOĞAN T., ÇİÇEK Y.
 ELECTRONIC JOURNAL OF GENERAL MEDICINE, vol.10, no.42, pp.81-82, 2013 (ESCI)
- XIX. Arterial Stiffness in Normotensive Patients with Rheumatoid Arthritis is not Impaired in Early Period
 TEMİZ A., GÜNGÖR Ö., DEVRİMSEL G., UĞURLU Y., ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö., BOSTAN M.
 International Journal of Clinical Research, vol.1, no.1, pp.1-4, 2013 (Peer-Reviewed Journal)
- XX. Normotansif Erken Dönem Romatoid Artrit Hastalarında Arteryel Sertlik Bozulmamıştır
 Temiz A., Uğurlu , ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö.
 Uluslararası Klinik Araştırmalar Dergisi, vol.1, no.1, pp.1-4, 2013 (Peer-Reviewed Journal)
- XXI. Thrombin Activatable Fibrinolysis Inhibitor (TAFI) Activity In Patients with Isolated Coronary Artery Ectasia
 CANGA A., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., DURAKOĞLUGİL M. E., ERDOĞAN T., TEMİZ A., ERGUL E., ÇİÇEK Y.
 International Journal of Clinical Research, vol.1, no.1, pp.5-9, 2013 (Peer-Reviewed Journal)
- XXII. Huge Non-ruptured True Saccular Aneurysm of the Ascending Aorta
 ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E.
 GAZI MEDICAL JOURNAL, vol.23, no.4, pp.151-153, 2012 (ESCI)
- XXIII. Red Blood Cell Distribution Width RDW and its Association with Coronary Atherosclerotic Burden in Patients with Stable Angina Pectoris
 ÇETİN M., BOSTAN M., SİNAN ALTAN K., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., TEMİZ A.
 Eur J Gen Med, vol.1, no.9, pp.7-13, 2012 (Peer-Reviewed Journal)
- XXIV. The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention
 SİNAN ALTAN K., ÇETİN M., TUNCAY K., ERDOĞAN T., ŞATIROĞLU Ö., ŞAHİNARSLAN A., ÇİÇEK Y., BOSTAN M.
 TURK KARDİYOLOJİ DERNEĞİ ARSIVİ-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, vol.40, no.3, pp.213-222, 2012 (Scopus)
- XXV. Primary percutaneous coronary intervention for the treatment of a patient with cardiogenic shock due to acute total occlusion of unprotected left main coronary artery without supportive collateral flow.
 Çetin M., KOCAMAN S., BOSTAN M., Erdogan T., Satiroglu Ö.
 Future cardiology, vol.7, pp.749-55, 2011 (Scopus)

Refereed Congress / Symposium Publications in Proceedings

- I. THE ROLE OF THE SERUM BILIRUBIN LEVELS IN DETERMINING THE VENOUS THROMBOEMBOLISM
 DUMAN H., ÖZYURT S., ERDOĞAN T., DURAKOĞLUGİL M. E., YILMAZ KARA B.
 15th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 27 - 30 March 2019, pp.302-303
- II. The role of serum bilirubin levels in determining venous thromboembolism.
 DUMAN H., ÖZYURT S., ERDOĞAN T., YILMAZ KARA B., DURAKOĞLUGİL M. E.
 15th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 27 - 30 March 2019
- III. The relationship between serum apelin levels and the severity of calcific aortic stenosis
 DUMAN H., BAHÇECİ İ., HAMUR H., DEMİRELLİ S., DILEK A. R., ERDOĞAN T., DUMAN H., ŞATIROĞLU Ö., DURAKOĞLUGİL M. E.
 34.th TURKISHCARDIOLOGYCONGRESSWITH INTERNATIONAL PARTICIPATION, Turkey, 20 - 23 October 2018
- IV. The documented ECG is related to dual AV nodal pathway physiology, but not to supraventricular tachycardia inducibility in the electrophysiological laboratory.
 Kocaman S. A., Çetin M., Bodur O., Durakoğlugil M. E., Erdogan T., Satiroğlu Ö., Diker E., Karagöz R.
 Ulusal Aritmi Kongresi, Muğla, Turkey, 13 - 15 April 2018
- V. The relationship of mean platelet volume with in-hospital mortality in geriatric patients with ST elevation myocardial infarction who underwent primary percutaneous coronary intervention.

- SATIROGLU Ö., DURAKOGLUGIL M. E., UYDU H. A., DUMAN H., ÇETİN M., CICEK Y., ERDOGAN T.
33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Turkey, 5 - 08 October 2017
- VI. **The association of in-hospital mortality with renal functions in geriatric patients with ST elevation myocardial infarction who underwent primary PCI.**
SATIROGLU Ö., DURAKOGLUGIL M. E., ERDOGAN T., DUMAN H., CICEK Y., ÇETİN M.
33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Turkey, 5 - 08 October 2017
- VII. **Mitral Protez Kapak Candida Endokarditi Olgusunun Periferik Embolisi Nadir Görülen Bir Olgu Sunumu**
DUMAN H., BODUR O., BAKIRCI E. M., SATIROĞLU Ö., HASTAŞ USTA E., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Turkey, 5 - 08 October 2017
- VIII. **Akut gastroenterit sonrası gelişen hipopotasemi ve bradikardiye bağlı polimorfik VT olgusu.**
DUMAN H., DURAKOGLUGIL M. E., SATIROGLU Ö., CICEK Y., ERDOGAN T., ÇETİN M., ERGÜL M.
Ulusal Aritmi Toplantısı 2017, Turkey, 4 - 07 May 2017
- IX. **Metastatik akciğer kanserinin sağ atriyumu kollobe ettiği ekokardiyografik görüntü olgusu.**
SATIROGLU Ö., ERDOGAN T., DURAKOGLUGIL M. E., ÇETİN M., DUMAN H., CICEK Y.
4. Kardiyoloji Bahar Güncellemesi, Turkey, 2 - 05 March 2017
- X. **Aort koarktasyonu operasyonu sırasında hipertansif encefalopati gelişen ve kurtarılan bir olgu**
SATIROGLU Ö., DURAKOGLUGIL M. E., DUMAN H., ÇETİN M., CICEK Y., ERDOGAN T.
4. Kardiyoloji Bahar Güncellemesi, Turkey, 2 - 05 March 2017
- XI. **kronik total tıkalı subklavian arterin retrograd yöntemle perkütan balon ve stentle açılması**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. Uluslararası Türk Kardiyoloji Derneği Kongresi, Turkey, 20 - 23 October 2016
- XII. **Kronik total tıkalı sol subklavian arterin retrograde teknikle perkütan balon ve stentle açılması**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. ULUSLARASI KATILIMLI TÜRK KARDİYOLOJİ DERNEĞİ KONGRESİ, 20 - 23 October 2016
- XIII. **TA VI sonrası nadir komplikasyon pace leadine bağlı perikardiyal tamponad sonrasında sağ ventrikülde kollaps ve hastanın ölümüne yol açan perikard içi dev trombus öyküsü**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32nd TKD congress with international participation, 20 - 23 October 2016
- XIV. **Kronik total tıkalı sol subklavian arterin retrograd teknikle perkütan balon ve stentle açılması**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32nd TKD congress with international participation, 20 - 23 October 2016
- XV. **kronik atrial fibrilasyonlu hastada tavi sonrası geç dönem kapak trombozu**
SATIROGLU Ö., BODUR O., DURAK H., GENGÖRÜ R., DUMAN H., KARADAG Z., DURAKOĞLUGİL M. E., ERDOĞAN T.
32. Uluslararası Türk Kardiyoloji Derneği Kongresi, Turkey, 20 - 23 October 2016
- XVI. **Kronik Atrial fibrilasyonlu bir hastada Perkütan biyoprotez aort kapak replasmanı TAVI sonrası geç dönemde kapak trombus olgusu**
SATIROĞLU Ö., BODUR O., DURAK H., Gengörü R., DUMAN H., KARADAĞ Z., DURAKOĞLUGİL M. E., ERDOĞAN T.
32nd TKD congress with international participation, 20 - 23 October 2016
- XVII. **Increased hair whitening and obesity are D11D010404 independently related to ascending aortic dilatation in young-middle aged men.**
ÇETİN M., ERDOĞAN T., KOCAMAN S. A., DUMAN H., ÇİÇEK Y., SATIROĞLU Ö., AKGÜL Ö., DURAKOĞLUGİL M. E.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XVIII. **Kronik total tıkalı sol subklavian arterin retrograde teknikle perkütan balon ve stentle açılması.**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XIX. **Increased hair whitening and obesity are D11 DO" 10 %40 4 independently related to ascending aortic dilatation in young-middle aged men.**
ÇETİN M., ERDOĞAN T., DUMAN H., ÇİÇEK Y., SATIROĞLU Ö., DURAKOĞLUGİL M. E., AKGÜL Ö.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016, vol.1, pp.1
- XX. **Increased hair whitening and obesity are D11 DO" 10 %40 4 independently related to ascending**

- aortic dilatation in young-middle aged men.**
ÇETİN M., ERDOĞAN T., DUMAN H., ÇİÇEK Y., SATIROĞLU Ö., DURAKOĞLUGİL M. E., AKGÜL Ö.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016, vol.1, pp.1
- XXI. TAVİ sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan, perikard içi dev thrombus olgusu.**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
32. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 20 - 23 October 2016
- XXII. TAVİ sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan perikard içi dev thrombus olgusu**
SATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.
23. uluslararası tkd kongresi, Turkey, 20 October 2016
- XXIII. Relationship of serum osteoprotegerin with arterial stiffness preclinical atherosclerosis and disease activity in patients with anklosing spondylitis**
SERDAROĞLU BEYAZAL M., ERDOĞAN T., KÜÇÜKALI TÜRKYILMAZ A., DEVRİMSEL G., CUMHUR CÜRE M., BEYAZAL M., ŞAHİN İ.
7. Uluslararası Katılımlı Türk Romatoloji Kongresi, Turkey, 23 - 27 March 2016
- XXIV. The relationship of osteoprotogerin with arterial stiffness in patients with rehumatoid arthritis**
SERDAROĞLU BEYAZAL M., ERDOĞAN T., DEVRİMSEL G., KÜÇÜKALI TÜRKYILMAZ A., CUMHUR CÜRE M., BEYAZAL M.
11. Türk Romatoloji Sempozyumu, Turkey, 26 - 29 March 2015
- XXV. Thorasic aortic aneurysm in a patient with rheumatoid arthritis**
SERDAROĞLU BEYAZAL M., ERDOĞAN T., DEVRİMSEL G., KÜÇÜKALI TÜRKYILMAZ A., ŞEHİTOĞLU İ., ERGENE Ş.
XV. Mediterranean Congress of Rheumatology, 28 - 31 August 2014
- XXVI. Plasma Catestatin Concentration is Independently Correlated with High-Density Lipoprotein Cholesterol Levels in Untreated Hypertensive Patients**
Durakoglugil M. E., AYAZ T., KOCAMAN S. A., KIRBAS A., DURAKOĞLUGİL T., Erdoğan T., Çetin M., Sahin O. Z., CICEK Y.
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Turkey, 26 - 29 October 2013, vol.62
- XXVII. Transkaterter Aort Kapak Implantasyonu'nda Anestezi Deneyimlerimiz**
ERDİVANLI B., ŞEN A., ERDOĞAN T., Ersöz T., ÖZDEMİR A.
Göğüs Kalp Damar Anestezi ve Yerken Bakım Derneği 19. Ulusal Kongresi, Trabzon, Turkey, 16 - 19 May 2013
- XXVIII. Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia.**
ÇİÇEK Y., DURAKOĞLUGİL M. E., ERDOĞAN T., YILMAZ A., UYDU H. A., ÇETİN M., SATIROĞLU Ö., TEMİZ A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.27
- XXIX. Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study.**
DURAKOĞLUGİL M. E., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., ÇANGA A., ERDOĞAN T., ÇİÇEK Y.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.25
- XXX. Increased pulse wave velocity in patients with panic disorder: independent vascular influence of panic disorder on arterial stiffness.**
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., GÜVELİ H., ÇETİN M., ERDOĞAN T., ÇANGA A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.123
- XXXI. Increased pulse wave velocity and carotid intima-media thickness in patients with carpal tunnel syndrome**
DURAKOĞLUGİL M. E., ÇİÇEK Y., KOCAMAN S. A., BALIK M. S., KIRBAŞ S., ÇETİN M., ERDOĞAN T., ÇANGA A.
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Turkey, 21 - 24 March 2013, vol.16, pp.122

- XXXII. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**
 ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E., Cetin M., TEMİZ A., UGURLU Y., CANGA A.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.898
- XXXIII. **Fragmented QRS predicts postoperative atrial fibrillation (AF) in patients undergoing isolated coronary artery bypass graft surgery with no history of AF**
 KOCAMAN S. A., CETIN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E., BOZOK S., CANGA A., TEMİZ A., ŞATIROĞLU Ö.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.374
- XXXIV. **The number of fragmented QRS predicts the low percent of ST segment resolution in patients with STEMI**
 CETIN M., KOCAMAN S. A., KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., DOGAN S., ŞATIROĞLU Ö.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.146
- XXXV. **The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention**
 KOCAMAN S. A., CETIN M., KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E., ŞATIROĞLU Ö., Sahinarslan A., ÇİÇEK Y., BOSTAN M.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.400
- XXXVI. **Relationship between increased epicardial adipose tissue and ascending aortic dilatation**
 KOCAMAN S. A., CANGA A., CETIN M., ERDOĞAN T., DURAKOĞLUGİL M. E., CICEK M. E., UGURLU Y., ŞATIROĞLU Ö.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.79
- XXXVII. **Increased YKL-40 levels in patients with isolated coronary artery ectasia**
 ERDOĞAN T., KOCAMAN S. A., CETIN M., KIRBAS A., DURAKOĞLUGİL M. E., CANGA A., YILMAZ A., CICEK Y., DOGAN S., BOSTAN M.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.786
- XXXVIII. **Relationship between leukocyte and subtype counts, low-grade inflammation and slow coronary flow phenomenon in patients with angiographically normal coronary arteries**
 KOCAMAN S. A., CANGA A., CETIN M., DURAKOĞLUGİL M. E., ERDOĞAN T., ÇİÇEK Y., BOSTAN M.
 Congress of the European-Society-of-Cardiology (ESC), Munchen, Germany, 25 - 29 August 2012, vol.33, pp.26
- XXXIX. **Increased plasminogen activator inhibitor I level in patients with isolated coronary artery ectasia**
 ÇETİN M., ÇİÇEK Y., ERDOĞAN T., DURAKOĞLUGİL M. E.
 27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.128
- XL. **Comparision of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease**
 BOSTAN M., UYDU H. A., YILMAZ A., DEMİR A., ATAK M., ŞATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.
 27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011
- XLI. **Increased serum bilirubin level is related to good collateral development in patients with chronic total coronary occlusion**
 ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
 27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.224
- XLII. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total**
 ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
 27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.327
- XLIII. **Relationship of fragmented QRS complex with inadequate coronary collaterals in patients with Chronic total occlusion**
 ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.
 27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.223
- XLIV. **Fragmented QRS (fQRS) in ST elevated myocardial infarction (STEMI) and its association with the**

infarct and myocardial perfusion parameters in patients undergoing primary percutaneous intervention

KOCAMAN S. A., ÇETİN M., KIRIŞ T., ERDOĞAN T., ÇANGA A., ŞAHİNARSLAN A., ŞATIROĞLU Ö., TEMİZ A., BOSTAN M., ÇİÇEK Y.

27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011

- XLV. **Fragmented QRS and its association with the poor prognostic factors in acute coronary syndromes**
ÇETİN M., KOCAMAN S. A., TEMİZ A., ŞATIROĞLU Ö., ERDOĞAN T., ÇANGA A., AKGÜL Ö., BOSTAN M., KIRIŞ T., ÇİÇEK Y., et al.

27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011

- XLVI. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**

ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.

27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 - 30 October 2011, pp.139

- XLVII. **Relationship of fragmented QRS (fQRS) complex with worse prognostic markers and in-hospital major adverse cardiovascular events (MACE) in patients undergoing coronary artery bypass graft (CABG) surgery**

ÇETİN M., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y.

27. Ulusal Kardiyoloji Kongresi, Antalya, Turkey, 27 October - 30 November 2011, pp.87

- XLVIII. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**

ÇETİN M., KOCAMAN S. A., ÇİÇEK Y., ÇANGA A., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRIŞ T., TEMİZ A., et al.

27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011

- XLIX. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total occlusion of unprotected left main coronary artery without supportive collateral flow.**

ÇETİN M., KOCAMAN S. A., BOSTAN M., ERDOĞAN T., ŞATIROĞLU Ö.

27. Ulusal Kardiyoloji Kongresi, İstanbul, Turkey, 27 - 30 October 2011

- L. **Red blood cell distribution width (RDW) and its association with coronary atherosclerotic burden in patients with stable angina pectoris.**

ÇETİN M., KOCAMAN S. A., ÇANGA A., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRİŞ T., TEMİZ A., et al.

27. Ulusal Kardiyoloji Kongresi, Turkey, 27 - 30 October 2011

Metrics

Publication: 147

Citation (WoS): 769

Citation (Scopus): 843

H-Index (WoS): 16

H-Index (Scopus): 17